



# PRODUCT RANGE

# MILESTONES

1842



J.I. CASE company founded.

1957



CASE introduces world's first integrated loader backhoe and acquires American Tractor Corp.

1958



CASE begins to manufacture and market articulated loaders.

1967



CASE enters excavator market.

1998



CASE is the first to offer Ride Control on skid steer loaders.

1999




CNH is founded.

2005



CASE manufactures the 500,000th loader backhoe.

2008



Jerome Increase CASE inducted into the association of equipment manufacturers (AEM) hall of fame.

201



## OVER 180 YEARS OF INNOVATION

It all began with an inventor, Jerome Increase CASE, and the challenge of a frontier, not on a map but in the history of modernization. That was in 1842. One hundred and eighty years later CASE's DNA has remained the same: modern, innovative, human. We are the past, the present, the future. ALL TOGETHER!

# EXPERTS FOR THE REAL WORLD

## SINCE 1842

1977



CASE acquires Poclain excavators.

1988



CASE Super K loader/backhoe among Forbes' top 100 American products.

1992



CASE enters excavator supply agreement with Sumitomo.

20



CASE manufactures the 250,000th skid steer loader.

2019



CASE presents its methane powered wheel loader concept: Project Tetra

2020



CASE presents 580 EV, the Industry's first Fully Electric Backhoe Loader

2022



CASE celebrates 180 years of history



# OUR COMPANY



The history of CASE dates back to 1842, when inventor and entrepreneur Jerome Increase Case founded the Racine Threshing Machine Works in Illinois, USA. It was the beginning of an exciting journey of entrepreneurship, ingenuity and continuous development of practical solutions to the challenges of construction jobsites.

Today, CASE serves its customers with products manufactured at its factories based in: the USA, Brazil, Italy, India and Mexico. Its plants operate to World Class Manufacturing (WCM) standards, which set a road map to continuous improvement through the elimination of waste, leading to efficient management of the facility and reduced environmental impact. All of the CASE facilities have achieved WCM Bronze or Silver level delivering consistent high-quality products.

The widespread dealer network means that CASE dealers are always close to the customers, serving them with the world-class equipment produced at these plants and professional after-sales support with industry-leading warranties and flexible financing.

CASE Construction Equipment sells and supports a full line of construction equipment around the world. Through CASE dealers, customers have access to a true professional partner with world-class equipment and aftermarket support, industry-leading warranties and flexible financing.

More information is available at **[www.CASEce.com](http://www.CASEce.com)**.

# OUR VALUES



- **HERITAGE**

CASE is the expertise that comes of people living the construction business since 1842.

- **PEOPLE/PASSION**

CASE is a community of dedicated, pragmatic and determined people who take pride in their work.

- **PROBLEM SOLVING**

CASE provides simple and straightforward solutions to its customers' challenges.

- **HANDS ON**

CASE is at the customer's side in the field and in their business, and actively involved in driving the industry forward.





# HEAVY LINE





+ WHEEL LOADERS	p. 4-5
+ CRAWLER EXCAVATORS	p. 6-7
+ MOTOR GRADERS	p. 8-9
+ CRAWLER DOZERS	p. 10-11
+ SOIL COMPACTORS	p. 12-13



# WHEEL LOADERS







MODEL	OPERATING WEIGHT	ENGINE POWER	BUCKET CAPACITY
<b>621XS PRO</b>	10015/10515 kg	97 kW/130 hp	1.9/2.3 m <sup>3</sup>
<b>F-Series</b>			
<b>621F</b>	12191/13387 kg	128 kW/172 hp	2.0/2.4 m <sup>3</sup>
<b>721F</b>	14225/15762 kg	145kW/195 hp	2.4/2.7 m <sup>3</sup>
<b>821F</b>	17694/18944 kg	169kW/227 hp	2.8/3.4 m <sup>3</sup>
<b>921F</b>	20068/21108 kg	190kW/255 hp	3.6/4.0 m <sup>3</sup>
<b>1021F</b>	25797/26809 kg	239 kW/320 hp	4.2/4.4 m <sup>3</sup>
<b>1121F</b>	26831/28457 kg	259 kW/347 hp	4.5/5.0 m <sup>3</sup>

# CRAWLER EXCAVATORS







MODEL	OPERATING WEIGHT	ENGINE POWER	BUCKET CAPACITY
<b>C-Series</b>			
<b>CX130C</b>	12400 kg	75 kW/102 hp	0.21-0.73 m <sup>3</sup>
<b>CX210C</b>	20600 kg	117 kW/159 hp	0.5-1.1 m <sup>3</sup>
<b>CX220C</b>	21250 kg	117 kW/159 hp	0.5-1.1 m <sup>3</sup>
<b>CX220C LR</b>	23300 kg	117 kW/159 hp	0.37-0.45 m <sup>3</sup>
<b>CX220C LC HD</b>	22220 kg	117 kW/159 hp	0.94-1.1 m <sup>3</sup>
<b>CX250C</b>	25100 kg	132 kW/179 hp	1.1-1.3 m <sup>3</sup>
<b>CX300C</b>	29400 kg	202 kW/274 hp	1.1-1.4 m <sup>3</sup>
<b>CX350C</b>	35600 kg	200 kW//271 hp	1.4-1.8 m <sup>3</sup>
<b>CX370C</b>	37200 kg	200 kW/271 hp	1.4-2.0 m <sup>3</sup>
<b>CX490C</b>	48700 kg	270 kW/362 hp	1.8-2.4 m <sup>3</sup>
<b>CX500C</b>	49300 kg	270 kW/362 hp	2.8-3.0 m <sup>3</sup>
<b>B-Series</b>			
<b>CX700B</b>	68900/69100 kg	345 kW/463 hp	4,0 m <sup>3</sup>
<b>CX800B</b>	80300/80400 kg	377kW/512 hp	4.1-4.5 m <sup>3</sup>

# MOTOR GRADERS







MODEL	OPERATING WEIGHT*	GROSS POWER	NET POWER	MOLDBOARD (STANDARD)
<b>B-Series 2</b>				
<b>845B</b>	15515 kg	129 kW/173 hp	119 kW/160 hp	2762 mm
<b>865B</b>	17067 kg	164 kW/220 hp	153 kW/205 hp	3962 mm
<b>885B</b>	18120 kg	174 kW/234 hp	167 kW/219 hp	4267 mm

\* Operating weight includes rear ripper and front counter weight

# CRAWLER DOZERS



MODEL	ENGINE POWER	BLADE CAPACITY	DRAWBAR PULL	OPERATION WEIGHT
<b>L-Series</b>				
<b>1150L</b>	130 hp	2.9 m <sup>3</sup>	213 kN	13625 Kg
<b>1650L</b>	156 hp	3.5 m <sup>3</sup>	275 kN	17960 Kg
<b>M-Series</b>				
<b>2050M</b>	232 hp	5.6 m <sup>3</sup>	360 kN	21947 Kg







# SOIL COMPACTORS







MODEL	OPERATING WEIGHT	FREQUENCY LOW/HIGH	AMPLITUDE	ENGINE POWER
<b>Single Drum Rollers</b>				
<b>1110EX Canopy</b>	11030 kg	31/34 hz	1.8/0.8 mm	110 hp @ 2200 RPM
<b>1110EX-D Canopy</b>	11300 kg	31/34 hz	1.8/0.8 mm	110 hp @ 2200 RPM
<b>1110EX-PD Canopy</b>	12450 kg	31 hz	1.3 mm	110 hp @ 2200 RPM
<b>1110EX-D Cab</b>	11450 kg	31/34 hz	1.8/0.8 mm	110 hp @ 2300 RPM
<b>1110EX-PD Cab</b>	12630 kg	31 hz	1.3 mm	110 hp @ 2300 RPM
<b>Double Drum Rollers</b>				
<b>752EX</b>	9061 kg	33.3/50 hz	1.0/0.4 mm	76 hp @ 2200 RPM
<b>DX450</b>	3225 kg	55/65 hz	0.6 mm	45 hp @ 2300 RPM

# PARTS & SERVICE



## CNH Industrial Parts & Service has one overriding objective:



Maximize your equipment's productive time and performance by providing fast and efficient support.



We deliver 24/7, covering a huge machine population through partnerships with suppliers that meet the most stringent quality standards in terms of raw materials and production processes



Strict compliance testing to ensure product reliability, durability, and safety, guaranteeing the machine's long-term value and performance



Distribution and availability of spare parts and accessories for the entire life cycle of the machine

Our **Original Parts** guarantee the maximum reliability and performance over time. We also offer a wide range of customized Accessories to optimized the efficiency, comfort and safety of our machines.

Our **Remanufactured Parts (Reman)** give new life to products, benefiting our customers and the environment.

Finally, our **Special Lines** meet the demand of spare parts for older machines and other manufacturers' models.





**SERVICE** keep your fleet running smoothly:

- You can count on your CASE dealer to keep your fleet running efficiently with tailored maintenance programmes and technical support delivered by top notch service professionals.
- You can contact your CASE dealer to discuss tailored maintenance packages to enjoy many benefits like better control of your costs and a higher performance from your machine.

**‘Put your trust in the CASE professionals’**



# COMPACT LINE





+ SKID STEER LOADERS

p. 18-19

+ COMPACT TRACK LOADERS

p. 20-21

+ BACKHOE LOADERS

p. 22-23



# SKID STEER LOADERS







MODEL	OPERATING WEIGHT	ENGINE POWER	RATED OPERATING CAPACITY (50% OF TIPPING LOAD)
<b>Radial Lift</b>			
<b>SR130B</b>	2300 kg	36 kW/49 hp	590 kg
<b>SR150B</b>	2430 kg	44.7 kW/60 hp	680 kg
<b>SR175B</b>	2842 kg	44.7 kW/60 hp	790 kg
<b>SR200B</b>	3160 kg	55 kW/74 hp	905 kg
<b>SR220B</b>	3350 kg	61 kW/82 hp	1000 kg
<b>SR250B</b>	3490 kg	67 kW/90 hp	1135 kg
<b>Vertical Lift</b>			
<b>SV185B</b>	2980 kg	44.7 kW/60 hp	840 kg
<b>SV250B</b>	3630 kg	61 kW/82 hp	1135 kg
<b>SV300B</b>	3765 kg	67 kW/90 hp	1364 kg

# COMPACT TRACK LOADERS







MODEL	OPERATING WEIGHT	NET POWER	RATED OPERATING CAPACITY (35% OF TIPPING LOAD)
<b>Radial Lift</b>			
<b>TR270B</b>	3750 kg	55 kW/74 hp	1225 kg
<b>TR320B</b>	4355 kg	67 kW/90 hp	1451 kg
<b>Vertical Lift</b>			
<b>TV380B</b>	4625 kg	67 kW/90 hp	1723 kg

# BACKHOE LOADERS





# COMPACT LINE



MODEL	OPERATING WEIGHT	GROSS POWER	BACKHOE DIGGING DEPTH (CASE DNA / INLINE GEOMETRY)
<b>T-Series</b>			
<b>570T</b>	8110 kg	64 kW/86 hp	4.34/5.58 m
<b>570ST</b>	8110 kg	72 kW/96 hp	4.63/5.85 m
<b>V-Series</b>			
<b>580V</b>	8010/9220 kg	72 kW/97 hp	5.51-4.44/5.62-4.38 m
<b>580SV</b>	8010/9220 kg	72 kW/97 hp	5.51-4.44/5.62-4.38 m
<b>590SV</b>	8080/9220 kg	82 kW/110 hp	5.51-4.44 /5.62-4.38 m
<b>695SV</b>	8800/9310 kg	82 kW/110 hp	5.96-4.75/5.88-4.66 m



# **BUILDING** A STRONG CASE.

Since 1842, at CASE Construction Equipment we have lived by an unwavering commitment to build practical, intuitive solutions that deliver both efficiency and productivity.

We continually strive to make it easier for our customers to implement emerging technologies and new compliance mandates.

Today, our global scale combined with our local expertise enables us to keep customers' real-world challenges at the center of our product development.

The vast CASE dealers' network is always ready to support and protect your investment and exceed your expectations, while also providing you with the ultimate ownership experience.

Our goal is to build both stronger machines—and stronger communities. At the end of the day, we do what's right for our customers and our communities so that they can count on CASE.

**CaseCE.com**

NOTE: Standard and optional fittings can vary according to the demands and specific regulations of each country. The illustrations may include optional rather than standard fittings - consult your Case dealer. Furthermore, CNH Industrial reserves the right to modify machine specifications without incurring any obligation relating to such changes.

Conforms to directive 2006/42/EC

