G-SERIES WHEEL LOADERS 521G | 621G | 721G | 821G





SNOW REMOVAL SOLUTIONS

www.casece.com
EXPERTS FOR THE REAL WORLD
SINCE 1842

A RANGE OF WHEEL LOADERS FITTING SNOW REMOVAL APPLICATIONS

	521G	621G	721G	821G
FPT Engine	NEF 4.5 I	NEF 6.7 I		
After Treatment/ Emission standard	Hi-eSCR (DOC+	+SCR) / Stage IV Hi-eSCR (DOC+SCR) / Stage IV and Hi-eSCR 2 (DOC+SCRoF) / Stage V		, •
Max Power (kW/hp)	106/142	128/172	145/195	172/230
Max Torque (Nm)	608	730	950	1,184
Transmission	Powershift 4-speed	Powershift 4-speed and ProShift 5-speed with TC lock-up		
Axles	Standard with Limited Slip Differentials and Heavy-Duty with 100% Locking Front Differential			
Tires	17.5 R25 20.5 R25	20.5 R25		23.5 R25
Hydraulic Circuit (I/min)	134	169	206	236
Max AUX Flow (I/min)	134	169	206	236
Max AUX Pressure (bar)	249-255			

LOADERS READY FOR COLD WEATHERS

- Air-suspended premium seat with incorporated heaters
- · Heated external rear view mirrors
- Cold weather package including:
 - Cold weather hydraulic oil (operating temperatures from -40° C to 125° C)
 - Grid heater
 - HD battery (12 V, 110 Ah, 950A)
 - Fuel filter with heater
- Engine block heater with power cord




In addition to traditional diesel, the FPT NEF engines are capable of running also on B7 biodiesel, as well as HVO diesel (an even cleaner and more high-quality alternative to biodiesel, with superior performances in cold weathers)


FLEXIBLE AND ADAPTABLE LOADERS

CASE wheel loaders can be equipped from factory with a choice of loader controls to manage auxiliary hydraulic functions:

- Joystick with two proportional rollers for the 3rd and 4th function
- Three single axis levers for the 3rd function



CASE loaders can be further customized for matching snow removal requirements, through the aftermarket adoption of dedicated attachments and hydraulic control interfaces



For any further details and complete terms and conditions, please refer to your CASE dealer.

Terms and conditions apply. Business purposes only. Documentation Fee and VAT are payable upon signing.

Offer valid on units invoiced from 1st of January 2019 and delivered by 31st of December 2019.

This is not a contractual offer and is subject to return conditions, changes in prices, supply terms and law.





CNH INDUSTRIAL
DEUTSCHLAND GMBH
Case Baumaschinen
Benzstr. 1-3 - D-74076 Heilbronn
DEUTSCHLAND

CNH INDUSTRIAL MAQUINARIA SPAIN, S.A. Avenida Aragón 402 28022 Madrid ESPAÑA CNH INDUSTRIAL FRANCE, S.A 16-18 Rue des Rochettes 91150 Morigny-Champigny FRANCE

CNH INDUSTRIAL ITALIA SPA Strada di Settimo, 323 10099 San Mauro Torinese (TO) ITALIA CASE CONSTRUCTION EQUIPMENT Cranes Farm Rd

Basildon - SS14 3AD
UNITED KINGDOM

CASE CUSTOMER CENTRE PARIS RN 330 - Penchard

RN 330 - Penchard 77122 - Monthyon FRANCE

NOTE: Standard and optional fittings can vary according to the demands and specific regulations of each country. The illustrations may include optional rather than standard fittings - consult your Case dealer. Furthermore, CNH Industrial reserves the right to modify machine specifications without incurring any obligation relating to such changes.

Conforms to directive 2006/42/EC



The call is free from a land line. Check in advance with your Mobile Operator if you will be charged. Toll free number not available from all calling areas.