

# D

**D SERIES 2 COMPACT WHEEL LOADERS**  
21D | 221D | 321D

**CASE**

PROFESSIONAL PARTNER





# D Series 2

## CUSTOMER SUPPORT



### The Case dealer: Your professional partner

World-class machinery is just the start with Case Construction Equipment. Consider your Case dealer your partner to find the right options for you to meet your job demands, including maintenance options, financing, attachments and the right machine size.

Case dealers help you maximize machine uptime — and profit. From high-tech tools designed to track equipment and manage a fleet, to service solutions performed right on the job site, Case dealers take the worry out of managing equipment.

Case dealers stand behind the equipment they sell with the strength of factory-trained technicians, a global parts network and outstanding warranties. To get through those high-demand projects, you can rely on your Case dealer for complete purchase, lease and rental solutions.

Your local Case dealer offers flexible financing options, leasing packages and insurance services to protect your investment.

You need more than great equipment. Case dealers deliver.





The spacious D Series 2 cab with curved front and rear glass offers exceptional all-around visibility for increased productivity and cycle times.

## OPERATOR ENVIRONMENT

### Power and utility in a comfortable, compact package

Case appreciates the fact that a comfortable operator is a productive and alert operator.

They may be called “compact” but the Case D Series 2 Compact Wheel Loaders all have large, roomy cabs that are designed to fit the operator.



An ergonomic operator environment, featuring tilt column steering and a fully adjustable suspension seat, keeps the operator comfortable through the longest jobs.

They are loaded with comfort, safety and productivity features, and controls that are easy to use.

Comfort and ease-of-use features include:

- Curved glass in front and rear, along with a sloping rear engine compartment to offer the operator a panoramic view for maximum visibility
- Arm rest, comfortable suspension seat, and steering column all adjust to fit any operator
- Contoured command center is designed for operator comfort and responsiveness
- Single-lever loader control and forward-neutral-reverse joystick with transmission speed button put all controls at your fingertips
- Hydraulic steering and articulated frame offer exceptional maneuverability
- Simplified control center offers clear visibility to gauges and indicator lights
- Pressurized cab and excellent air filtration system keep out the dust and the elements
- Heater-defroster is standard on all models; AC is optional on all models



There is an unobstructed view to the console gauges and indicator lights to keep the operator informed of critical machine functions.

- Ride Control available on all models improves material retention and operator comfort for increased productivity
- Pre-wired for radio
- 12-volt power supply socket for cellular phone, two-way radio, or other requirements
- Step and door designs allow easy entry and exit

And then there's the most comfortable feature of all—knowing your new compact wheel loader is supported by Case.



# D Series 2

## FEATURES

These remarkable machines — the 21D, 221D and 321D — are compact in size but loaded with innovative features and backed by the Case commitment to durability and customer support.

Their power, small size and versatility make these compact wheel loaders ideal for a wide variety of applications: landscaping, residential construction, agriculture and industrial material handling, to name just a few.

Check out these high-production, uptime-delivering features:

- Roomy, comfortable cab, with easy-to-use controls, increases operator productivity
- Two speed hydrostatic drive for smooth shifting and ease of operation
- Standard hydraulic coupler quickly accepts a variety of attachments
- Oil-cooled engine and powerful loader linkage design provide high breakout force, strong lift capacity, and fast cycle times

- Convenient flip-up engine hood allows easy maintenance and quick daily checks
- Articulated frame provides outstanding maneuverability
- Hydraulic steering provides responsive handling
- Limited-slip front axle provides traction in all conditions
- Hydraulically driven fan provides exceptional cooling and quiet operation

Powering this compact loader's versatility is a high-torque, four-cylinder, oil-cooled engine and heavy-duty hydraulics. Limited-slip front axle and excellent weight distribution create great traction, and combined with the powerful engine provide excellent loading characteristics allowing you to get more work done in less time.

MODEL	21D	221D	321D
NET HP (KW)	51 (38)	57.5 (42.5)	72 (53.5)
MAXIMUM BUCKET CAPACITY	1.0 cu yd (0.8 cu m)	1.3 cu yd (1.0 cu m)	1.44 cu yd (1.1 cu m)
OPERATING WEIGHT	9,818 lb (4453 kg)	11,793 lb (5349 kg)	13,028 lb (5909 kg)





The two-speed transmission allows a travel speed of up to 12.4 mph (20 km/h). An optional high-speed transmission on the 221D/321D can produce a top speed of 20 mph (32 km/h). The articulated frame gives the Case Compact Wheel Loader a tight 41-degree turning radius to get you into and around any cramped site.

The hydraulic quick coupler, standard equipment on all D Series 2 Compact Wheel Loaders, makes the wheel loader an incredibly versatile machine. Load dirt, move pallets, dig holes, and clean the jobsite — all quickly and efficiently.



# D Series 2

## SERVICEABILITY

Convenient serviceability is designed into the D Series Compact Wheel Loader. Your day gets off to a fast and productive start with easy-to-reach daily service checkpoints. The flip-up rear hood provides ground line access

to the engine and all recommended daily checkpoints. Fluid sight gauges are positioned at eye level; and the dual element air filter can be checked without tools. Oil changes are effortless with a spin-on oil filter and remote drain.

Routine maintenance of your compact wheel loader keeps it on the job and operating at peak performance, and increases its resale value. That's why Case designed its D Series 2 Compact Wheel Loaders to be extremely easy to maintain.



Daily service checks are completed from ground level, ensuring a quick start to a productive day.

The hydraulically driven cooling fan eliminates belts, providing fewer wear parts to replace. The fan also keeps the noise level down, something the operator and those nearby appreciate.

Case Compact Wheel Loaders are designed to give you years of trouble-free operation. Your Case dealer will keep your machines in peak condition with expert technicians, OEM parts and fluids, and a commitment to all your equipment needs.



A hydraulically driven fan increases cooling system dependability and reduces noise from the engine compartment.



The flip-up hood makes access to the engine compartment simple.



# ATTACHMENTS

## Outstanding versatility

Sure it's easy to operate, easy to maintain, loaded with comfort features, and backed by Case customer support. But it's the ability to quickly attach and disconnect different tools that makes the Case Compact Wheel Loader so remarkable. All models feature a standard hydraulic coupler that lets you quickly connect and release attachments from the seat of the cab.

You'll quickly move from the standard bucket to a snow blade to a pallet fork to a jib boom. Add auxiliary hydraulic capability and your attachment options multiply to include an angle broom, auger, grapple bucket, 4-IN-1® bucket, and more.

Ask your dealer about the full line of attachments.



**Augers**



**Hydraulic Quick Coupler**



**Jig Booms**



**General Purpose Buckets**



**4-IN-1 Buckets**



**Scrap Grapple Buckets**



**Angle Brooms**



**Snow Blades**



**Box Blades**

**21D/221D/321D  
COMPACT WHEEL LOADER  
QUICK SPECS**

**21D**

Engine	51 net hp (38 kW)
Operating weight	9,818 lb (4453 kg)
Max. bucket capacity	1.0 cu yd (0.8 cu m)

**221D**

Engine	57.5 net hp (42.5 kW)
Operating weight	11,793 lb (5349 kg)
Max. bucket capacity	1.3 cu yd (1.0 cu m)

**321D**

Engine	72 net hp (53.5 kW)
Operating weight	13,028 lb (5909 kg)
Max. bucket capacity	1.44 cu yd (1.1 cu m)

NOTE: All engines meet current EPA emission regulations.

NOTE: All specifications are stated in accordance with SAE Standards or Recommended Practices, where applicable.

IMPORTANT: CNH America LLC reserves the right to change these specifications without notice and without incurring any obligation relating to such change. Availability of some models and equipment builds vary according to the country in which the equipment is used. The illustrations and text may include optional equipment and accessories and may not include all standard equipment. Your Case dealer/distributor will be able to give you details of the products and their specifications available in your area.



Always read the Operator's Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided.

© 2005 CNH America LLC Case is a registered trademark of CNH America LLC Any trademarks referred to herein, in association with goods and/or services of companies other than CNH America LLC, are the property of those respective companies. All rights reserved. Printed in U.S.A.

