

LIFESTYLE RANGE

48 month/2000 hour extended warranty*



RED COVER⁺
Protection Plan

CASE IH





FARMALL B 48 month/2000 hour extended warranty*

Thanks to smart design, rugged construction and reliable horsepower, all Farmall B Series tractors deliver tonnes of performance in a compact size. Their 3 and 4-cylinder diesel engines provide horsepower ranging from 27 to 57, so you're sure to find a model that fits the needs of your operation. These tractors feature gear or hydrostatic transmissions, a comfortable operator seat with ergonomic controls and a range of front end loader options. So whether you put one of these tractors to work on a dairy farm, livestock operation, small farm, or need it for groundskeeping and landscaping, you can be sure you'll have a machine that works as hard as you do.

* 48 month or 2,000 hour (or whichever occurs first) RedCover Premier Plus extended warranty coverage. Extended warranty offer only applies to Farmall B tractors pre-sold prior to 30 June 2022, the tractor must be delivered and installed for warranty by 31 December 2022.



25B BIG PERFORMANCE IN A SMALL PACKAGE

With its proven 3-cylinder, high torque diesel engine and easy to operate two-range hydrostatic transmission, these purpose built compact tractors are perfect for pulling trailers and light implements, mowing and front loader work.



| | |
|---------------------------|--------------------|
| MODELS | Farmall 25B |
| Engine | Mitsubishi |
| Type | 3-cylinder diesel |
| Size | 1.32 l |
| HP (kW) | 27 (20) |
| Torque | 79 Nm |
| Fuel Tank | 25 litres |
| Rear Lift Capacity | 650kg |
| Dry Weight | 730kg |
| Front End Loader | L300-25A HD |
| Bucket Type | Standard or 4-in-1 |
| Max Lift Height | 2.11m |
| Lift Capacity* | 320kg |

35B FOR THE SERIOUS LIFESTYLE FARMER

With its fuel efficient 4-cylinder engine and 1,385kg dry weight, the Farmall 35B takes lifestyle farming to a whole new level. With a host of standard features normally found on larger tractors, it's no wonder the Farmall 35B is the most popular model in the Case IH lifestyle range.



| | |
|---------------------------|-----------------------------|
| MODELS | Farmall 35B |
| Engine | Mitsubishi |
| Type | 4-cylinder diesel |
| Size | 1.76 l |
| HP (kW) | 38 (28) |
| Torque | 103 Nm |
| Fuel Tank | 33 litres |
| Rear Lift Capacity | 820kg |
| Dry Weight | Synchro 1385kg Hydro 1403kg |
| Front End Loader | L300-35A HD |
| Type | Euro hitch |
| Bucket Type | Standard or 4-in-1 |
| Max Lift Height | 2.24m |
| Lift Capacity* | 680kg |

50B THE PROFESSIONAL'S CHOICE

2.5L 4-cylinder diesel power matched with either a 3-range hydro or 16x16 synchro transmission means you're always prepared for the toughest challenge. Ag tyres are fitted as standard, or choose from industrial or turf options to suit your operation.



| | |
|--------------------|-----------------------------|
| MODELS | Farmall 50B |
| Engine | LS Mitron |
| Type | 4-cylinder diesel |
| Size | 2.5 l |
| HP (kW) | 47 (35) |
| Torque | 140 Nm |
| Fuel Tank | 36 litres |
| Rear Lift Capacity | 1252kg |
| Dry Weight | Synchro 1650kg Hydro 1680kg |
| Front End Loader | L300-50A HD |
| Type | Euro hitch + self levelling |
| Bucket Type | Standard or 4-in-1 |
| Max Lift Height | 2.55m |
| Lift Capacity* | 950kg |

60B TO TACKLE THE BIG JOBS

The Farmall 60B is the heavyweight of the Case IH lifestyle range. Its turbocharged engine delivers effortless power – and an array of impressive features such as two sets of hydraulic remotes and 3-speed PTO are fitted as standard. Also available with an air conditioned cab.

| | |
|--------------------|-----------------------------|
| MODELS | Farmall 60B |
| Engine | LS Mitron |
| Type | 4-cylinder diesel |
| Size | 2.5 l |
| HP (kW) | 57 (43) |
| Torque | 170 Nm |
| Fuel Tank | 60 litres |
| Rear Lift Capacity | 1850kg |
| Dry Weight | Cab 2165kg ROPS 2370kg |
| Front End Loader | L300-60A HD |
| Type | Euro hitch + self levelling |
| Bucket Type | Standard or 4-in-1 |
| Max Lift Height | 2.97m |
| Lift Capacity* | 735kg |



CONTACT YOUR LOCAL CASE IH DEALER TODAY



SAFETY NEVER HURTS!™

Always read the Operator's Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. CNH Industrial reserves the right to make improvements in design and changes in specifications at any time without notice and without incurring any obligation to install them on units previously sold. Specifications, descriptions and illustrative material herein are as accurate as known at time of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used. ©2020 CNH Industrial. All rights reserved. Case IH, its respective logos and the red, black and grey colour scheme, as well as corporate and product identity used herein, are trademarks of CNH Industrial N.V. and may not be used without permission. Case IH is a trademark registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. Printed in New Zealand. www.caseih.co.nz 03/2022 -



caseih.co.nz

22_CAMP001_2

CASE IH