

PRESSURE WASHERS | WATER PUMPS | GENERATORS | AIR COMPRESSORS | HEATERS

# POWER EQUIPMENT



**CASE**  
CONSTRUCTION

**CASE II**  
AGRICULTURE



## POWER EQUIPMENT

Made with the same craftsmanship and attention to detail as Case IH and Case heavy equipment, our full line of power equipment maximizes your productivity day in and day out. Pressure washers for cleaning up after messy weather conditions. Water, chemical and trash pumps that deliver reliable, quiet and fuel-efficient power. Generators for those times when power loss would otherwise have you in the dark. Air compressors for blowing out lines, operating pneumatic tools, cleaning equipment and inflating tires. And heaters that will keep you warm no matter what the weather is outside. Whatever the task, these products help you get the job done, and are made with the same quality you've come to expect from the Case IH and Case brands.





<b>Pressure Washers &amp; Accessories .....</b>	<b>4</b>
Gas Pressure Washers .....	4
Hot Water Pressure Washers .....	6
Electric Pressure Washers .....	7
Pressure Washer Accessories .....	10
<b>Water Pumps.....</b>	<b>15</b>
Water Pumps .....	15
Trash Pumps.....	18
Chemical Transfer Pumps .....	20
<b>Generators .....</b>	<b>21</b>
Inverters .....	21
Gas Generators.....	22
<b>Air Compressors &amp; Air Combs.....</b>	<b>23</b>
Air Compressors .....	23
Air Combs.....	25
<b>Heaters.....</b>	<b>26</b>



## GAS PRESSURE WASHERS

### 2,700 PSI, GAS PRESSURE WASHER

Part No.	Description
<b>MC275HX</b>	2,700 PSI, 160cc, 2.3 GPM, Case IH

- Honda OHC GC160 engine, 160cc
- Direct-drive, commercial-grade axial pump
- 25' × 1/4" high-pressure hose with quick connects
- 36" industrial grade gun/wand assembly
- 4 spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC275HX**

### 2,500 PSI, GAS PRESSURE WASHER

Part No.	Description
<b>MC2565HA</b>	2,500 PSI, 196cc, 3.0 GPM, Case IH
<b>MCCE2565HA</b>	2,500 PSI, 196cc, 3.0 GPM, Case Construction

- Honda OHV GX200 engine, 196cc
- Direct-drive, commercial-grade triplex plunger pump
- 25' × 1/4" high-pressure hose with quick connects
- 36" industrial grade gun/wand assembly
- 4 spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC2565HA**

Part No. **MCCE2565HA**

### 3,100 PSI, GAS PRESSURE WASHER

Part No.	Description
<b>MC317RX</b>	3,100 PSI, 210cc, 2.3 GPM, Case IH

- PowerEase OHV R210 engine, 210cc
- Direct-drive, commercial-grade axial pump
- 25' × 1/4" high-pressure hose with quick connects
- 36" industrial grade gun/wand assembly
- 4 spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC317RX**



## 4,000 PSI, GAS PRESSURE WASHER

Part No.	Description
<b>MC4013HA</b>	4,000 PSI, 389cc, 4.0 GPM, Case IH
<b>MCCE4013HA</b>	4,000 PSI, 389cc, 4.0 GPM, Case Construction

- Honda OHV GX390 engine, 389cc
- Direct-drive, commercial-grade triplex plunger pump
- 50' × 3/8" high-pressure hose with quick connects
- 36" industrial grade gun/wand assembly
- 4 spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC4013HA**

Part No. **MCCE4013HA**

## 4,000 PSI, GAS PRESSURE WASHER

Part No.	Description
<b>MC4015RA</b>	4,000 PSI, 420cc, 4.0 GPM, Case IH

- PowerEase OHV R420 engine, 420cc
- Direct-drive, commercial-grade triplex plunger pump
- 50' × 3/8" high-pressure hose with quick connects
- 36" industrial grade gun/wand assembly
- 4 spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC4015RA**

## HOT WATER PRESSURE WASHERS

### 1,000 PSI, HOT-WATER, ELECTRIC PRESSURE WASHER

Part No.	Description
<b>MC1115EAHW</b>	1,000 PSI, 1.5 hp, 2.0 GPM, Case IH

- 110V, single-phase, electric motor, 1.5 hp
- Direct drive, commercial grade pump
- Totally enclosed fan cooled electric motor
- 50' × 3/8" high pressure hose with screw connects
- 36" industrial grade gun/wand assembly, dual wand with 15° fixed and soaper nozzle
- 190°F max temperature



Part No. **MC1115EAHW**

### 1,500 PSI, HOT-WATER, ELECTRIC PRESSURE WASHER

Part No.	Description
<b>MC152EGHW</b>	1,500 PSI, 2 hp, 2 GPM, Case IH

- 120V, single-phase, electric motor, 2 hp
- Direct drive, commercial grade pump
- Totally enclosed fan cooled electric motor
- 50' × 3/8" high pressure hose with screw connects
- 36" industrial grade gun/wand assembly, dual wand with 15° fixed and soaper nozzle
- 190°F max temperature



Part No. **MC152EGHW**

### 2,700 PSI, HOT-WATER, GAS PRESSURE WASHER

Part No.	Description
<b>MC2765HAHW</b>	2,700 PSI, 196cc, 2.5 GPM, Case IH
<b>MCCE2765HAHW</b>	2,700 PSI, 196cc, 2.5 GPM, Case Construction

- Honda GX200 engine, 196cc
- Commercial grade triplex plunger pump
- 50' × 3/8" high pressure hose with screw connects
- 36" industrial grade gun/wand assembly, dual wand with 15° fixed and soaper nozzle
- 200°F max temperature



Part No. **MC2765HAHW**

### 3,500 PSI, HOT-WATER, GAS PRESSURE WASHER

Part No.	Description
<b>MC3513HAHW</b>	3,500 PSI, 389cc, 3.5 GPM, Case IH
<b>MCCE3513HAHW</b>	3,500 PSI, 389cc, 3.5 GPM, Case Construction

- Honda GX390 engine, 389cc
- Commercial grade triplex plunger pump
- 50' × 3/8" high-pressure hose with screw connects
- 36" industrial grade gun/wand assembly, dual wand with 15° fixed and soaper nozzle
- 200°F max temperature



Part No. **MCCE2765HAHW**

Part No. **MCCE3513HAHW**

Part No. **MC3513HAHW**



## ELECTRIC PRESSURE WASHERS

### 1,100 PSI, ELECTRIC PRESSURE WASHER

Part No.	Description
MC1115BA	1,100 PSI, 2.0 GPM, 115V, Case IH

- Baldor TEFC 1.5 hp motor, 115V, 15 AMP
- Direct-drive, commercial-grade triplex plunger pump
- 25' × 1/4" high-pressure hose with quick connects
- 36" industrial grade gun/wand assembly
- 4 spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. MC1115BA

### 1,500 PSI, ELECTRIC PRESSURE WASHER

Part No.	Description
MC1515EN	1,500 PSI, 1.6 GPM, 120V, Case IH

- 1.5 hp, 120V, 13.2 AMP motor
- Direct-drive, commercial-grade triplex plunger pump
- 25' × 1/4" high-pressure hose with quick connects
- 36" industrial grade gun/wand assembly
- 4 spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector
- Immediate start/stop system extends the life of your unit



Part No. MC1515EN

### 1,500 PSI, ELECTRIC PRESSURE WASHER, WALL MOUNT

Part No.	Description
MC1515EPNW	1,500 PSI, 1.6 GPM, 120V, Case IH

- 1.5 hp motor, 120V, 13.2 AMP motor
- Direct-drive, commercial-grade triplex plunger pump
- 50' high-pressure hose with 50' hose reel
- Integrated soap tank
- Spray nozzles, soap injector



Part No. MC1515EPNW

2 WASHERS IN 1!  
UNIT CAN  
BE REMOVED  
AND CARRIED

## ELECTRIC PRESSURE WASHERS

### 1,500 PSI, COLD-WATER, ELECTRIC PRESSURE WASHER

Part No.	Description
<b>MC152BA</b>	1,500 PSI, 2.0 hp, 115V, Case IH

- Baldor TEFC 2 hp, 115V, 17.3 AMP motor
- Direct-drive, commercial-grade triplex plunger pump
- 25' × 1/4" high-pressure hose with quick connects
- 36" industrial-grade gun/wand assembly
- Four spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC152BA**

### 1,500 PSI, COLD-WATER, ELECTRIC PRESSURE WASHER

Part No.	Description
<b>MC152EN</b>	1,500 PSI, 2 GPM, 120V, Case IH

- 2 hp, 120V, 18.5 AMP motor
- Direct-drive, commercial-grade triplex plunger pump
- 25' × 1/4" high-pressure hose with quick connects
- 36" industrial-grade gun/wand assembly
- Four spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector
- Immediate start/stop system extends the life of your unit



Part No. **MC152EN**

### 1,500 PSI, COLD-WATER, ELECTRIC PRESSURE WASHER, WALL MOUNT

Part No.	Description
<b>MC152BWA</b>	1,500 PSI, 2.0 hp, Wall Mount, Case IH

- Baldor TEFC 2 hp, 115V, 17.3 AMP motor
- Commercial grade, triplex plunger pump
- 50' × 3/8" high pressure hose with quick connects
- 50' hose reel
- Mounts to the wall of your shop
- Automatic shutdown feature extends pump life



Part No. **MC152BWA**



## 2,000 PSI, COLD-WATER, ELECTRIC PRESSURE WASHER

Part No.	Description
MC203BA	2,000 PSI, 3.0 hp, 2 GPM, 220V, Case IH

- 3 hp, 220V, 13 AMP motor
- Direct-drive, commercial-grade triplex plunger pump
- 50' × 3/8" high-pressure hose with quick connects
- 36" industrial-grade gun/wand assembly
- Four spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC203BA**

## 2,000 PSI, COLD-WATER, ELECTRIC PRESSURE WASHER

Part No.	Description
MC205BA	2,000 PSI, 5 hp, 3.5 GPM, 220V, Case IH

- Baldor TEFC 5 hp, 220V, 23 AMP motor
- Direct-drive, commercial-grade triplex plunger pump
- 50' × 3/8" high-pressure hose with quick connects
- 36" industrial-grade gun/wand assembly
- Four spray nozzles (0°, 15°, 40°, soaper), downstream (low-pressure) soap injector



Part No. **MC205BA**

## 2,000 PSI, COLD-WATER, ELECTRIC PRESSURE WASHER, WALL MOUNT

Part No.	Description
MC205BWA	2,000 PSI, 5 hp, 3.5 GPM, Wall Mount, Case IH

- Baldor TEFC 5 hp, 220V, 23 AMP motor, single phase
- Commercial grade, triplex plunger pump
- 50' × 3/8" high pressure hose with quick connects
- 50' hose reel
- Mounts to the wall of your shop
- Automatic shutdown feature extends pump life



Part No. **MC205BWA**

## PRESSURE WASHER ACCESSORIES

### QUICK-CONNECT UNIVERSAL COUPLERS & PLUGS

Part No.	Description
<b>MCNH400202</b>	Coupler/Plug Kit
<b>MCNH300102</b>	Coupler, Brass, 1/4" FNPT
<b>MCNH300103</b>	Coupler, Brass, 3/8" FNPT
<b>MCNH300109</b>	Plug, Steel, 1/4" MNPT
<b>MCNH300101</b>	Plug, Steel, 1/4" FNPT
<b>MCNH300104</b>	Plug, Steel, 3/8" FNPT
<b>MCNH300105</b>	Plug, Steel, 3/8" MNPT

- Universal quick connection
- Maximum 5,000 PSI
- Maximum 10 GPM
- Maximum 250°F
- Flow-through design
- MCNH400202 includes: MCNH300102, MCNH300103, MCNH300101, MCNH300104 (1 of each)



Part No. **MCNH300102**



Part No. **MCNH300101**

### QUICK-CONNECT PRESSURE GAUGE

Part No.	Description
<b>MCNH305001</b>	Gauge Kit, 5000 PSI

- Glycerin-filled pressure gauge
- Quick-connect set-up for optimum accuracy
- Can be connected between pump and hose or between hose and gun



Part No. **MCNH305001**

### WATER GARDEN HOSE INLET FILTER

Part No.	Description
<b>MCNH300055</b>	Inlet Filter, 1/2" MNPT × 3/4" FGHT

- 1/2" MNPT outlet × 3/4" FGHT inlet
- Can be used on any pressure washer with a 1/2" inlet opening
- Brass body
- Clear-sight glass



Part No. **MCNH300055**



## PRESSURE WASHER HOSE, SINGLE WIRE

Part No.	Description
MCNH238151	Hose, 50' × 3/8", 4,000 PSI

- 4,000 PSI max pressure
- 310°F max temp
- Comes complete with quick-connect fittings
- Single wire braid wrapped cover



Part No. **MCNH238151**

## PRESSURE WASHER HOSE, HOT WATER, DOUBLE WIRE BRAID

Part No.	Description
MCNH238250	Hose, 50', 6,000 PSI

- 6,000 PSI max pressure
- 310°F max temp
- Comes complete with quick-connect fittings
- Double wire braid wrapped cover



Part No. **MCNH238250**

## PRESSURE WASHER HOSE, COLD WATER, NYLON BRAID

Part No.	Description
MCNH225229N	Hose, 25', 3,200 PSI

- 3,200 PSI max pressure
- 140°F max temp
- Comes complete with M22-connect fittings



Part No. **MCNH225229N**

## HOSE REEL KIT

Part No.	Description
MCNH402001K	Hose Reel Kit, 100' Capacity, 4,000 PSI

- 4,000 PSI max pressure
- 100' capacity
- Includes 62" jumper hose
- Quick-connect plug connects directly to your washer



Part No. **MCNH402001K**

# PRESSURE WASHERS & ACCESSORIES

## PRESSURE WASHER ACCESSORIES

### REPLACEMENT O-RING SET

Part No.	Description
MCNH400200	Kit, O-Ring 4 × 1/4", 2 × 3/8"

- O-rings for quick-connect couplers
- Includes (4) 1/4" for the end of the wand and (2) 3/8" for the end of the hose



Part No. MCNH400200

### PRESSURE WASHER DETERGENT

Part No.	Description
MC90050	Car Wash Soap
MC90052	Deck and Fence
MC90053	Degreaser

- One-gallon bottles, concentrate
- Car wash soap, deck and fence detergent, and degreaser
- One gallon of concentrate makes five gallons of liquid detergent



Part No. MC90050

Part No.  
MC90052

Part No. MC90053

### PUMP OIL FOR PRESSURE WASHERS

Part No.	Description
MCNH490000	Pump Oil, 1 Liter

- One-liter bottle
- Non-detergent
- Non-foaming
- 30W



Part No. MCNH490000



## INDUSTRIAL SPRAY GUN AND WAND ASSEMBLY

Part No.	Description
MCNH202108	Gun, 5,000 PSI Maximum
MCNH205026	Gun/Wand Assembly, 36", QC Fittings

- Maximum 5,000 PSI
- Maximum 10 GPM
- Maximum 300°F
- 3/8" FNPT inlet
- 1/4" FNPT outlet
- MCNH205026: comes complete with 36" wand and all quick-connect fittings



Part No. MCNH202108



Part No. MCNH205026

## LONG WAND (TELESCOPING) ASSEMBLY

Part No.	Description
MCNH206018L	Telescoping Wand, 18'

- Maximum 4,000 PSI
- Maximum 8 GPM
- Lever-style quick-connect collars for easy height adjustment
- Minimum 6' (collapsed)
- Maximum 18' (extended)
- Comes complete with quick-connect fittings at inlet and outlet



Part No. MCNH206018L

## FRONT LOAD GUN/WAND ASSEMBLY

Part No.	Description
MCNH205052	Gun and Wand Assembly, 36", 3,400 PSI

- Maximum 3,400 PSI
- Maximum 8 GPM
- Maximum 210°F
- 1/4" FNPT inlet
- 1/4" quick-connect coupler
- Complete with 36" wand



Part No. MCNH205052

## GUN AND WAND ASSEMBLY, 4,000 PSI

Part No.	Description
MCNH205053	Gun and Wand Assembly, 36", 4,000 PSI

- Maximum 4,000 PSI
- Maximum 8 GPM
- Maximum 210°F
- 1/4" FNPT inlet
- 1/4" quick-connect coupler
- Complete with 36" wand



Part No. MCNH205053

## PRESSURE WASHER ACCESSORIES

### WATER BROOM ASSEMBLY

Part No.	Description
MCNH400061	Water Broom Assembly, 4-Nozzle

- Maximum 4,000 PSI
- Rolls on casters
- Includes (4) 65° nozzles
- Aluminum construction for easy maneuvering
- Excellent for sidewalks, floors, driveways and roofs



Part No. MCNH400061

### QUICK-CONNECT SPRAY NOZZLES

Part No.	Description
MCNH210030	Nozzle Set #030 Orifice
MCNH210035	Nozzle Set #035 Orifice

- High-pressure stainless-steel nozzles
- Color-coded to differentiate spray angles
- 1/4" quick-connect
- Nozzle sets include: 0° (red), 15° (yellow), 40° (white), soaper (black), (1 of each)
- #030 orifice to be used on pressure washers up to 210cc (7 hp)
- #035 orifice to be used on pressure washers higher than 210cc (7 hp) and up to 390cc (13 hp)



Part No. MCNH210030 & MCNH210035

### QUICK-CONNECT ROTARY (TURBO) NOZZLE

Part No.	Description
MCNH210019	Rotary Nozzle, #035 Orifice

- Rotating high-impact nozzle
- 0° impact with 25° spray fan
- Increase cleaning efficiency by 30%
- Maximum temp 250°F
- Maximum pressure 5,100 PSI
- Heavy-duty brass housing and high-pressure water filter included



Part No. MCNH210019



## WATER PUMPS

### 1" WATER PUMP

Part No.	Description
<b>MCW125R</b>	1" Water Pump, 2.5 hp, Case IH

- PowerEase OHV 2.5 hp/98cc engine
- Centrifugal aluminum pump
- Aluminum impeller
- 42 GPM max discharge flow
- 85' max total lift, 20' max suction lift
- 1" MNPT inlet/outlet



Part No. **MCW125R**

### 2" WATER PUMP

Part No.	Description
<b>MCW25HR</b>	2" Water Pump, 5 hp, Case IH

- Honda OHC GC160 engine, 5 hp
- Centrifugal aluminum pump
- Cast-iron impeller
- 158 GPM max discharge flow
- 82' max total lift, 26' max suction lift
- 2" MNPT inlet/outlet



Part No. **MCW25HR**

### 2" WATER PUMP

Part No.	Description
<b>MCW265HR</b>	2" Water Pump, 196cc, Case IH
<b>MCCEW265HR</b>	2" Water Pump, 196cc, Case Construction

- Honda OHV GX200 engine, 196cc, with oil alert
- Centrifugal aluminum pump
- Cast-iron impeller
- 158 GPM max discharge flow
- 82' max total lift, 26' max suction lift
- 2" MNPT inlet/outlet



Part No. **MCCEW265HR**

Part No. **MCW265HR**

## WATER PUMPS

### 2" WATER PUMP

Part No.	Description
<b>MCW27R</b>	2" Water Pump, 210cc, Case IH

- PowerEase OHV 210cc engine with low oil shutdown
- Centrifugal aluminum pump
- Cast-iron impeller
- 158 GPM max discharge flow
- 82' max total lift, 26' max suction lift
- 2" MNPT inlet/outlet



Part No. **MCW27R**

### 2" WATER PUMP KIT

Part No.	Description
<b>MCW27RKIT</b>	2" Water Pump Kit, 210cc, Case IH

- PowerEase OHV 210cc engine with low oil shutdown
- Includes: 15' suction hose, 50' discharge hose and all camlock fittings
- Centrifugal aluminum pump
- Cast-iron impeller
- 158 GPM max discharge flow
- 82' max total lift, 26' max suction lift



Part No. **MCW27RKIT**

### 3" WATER PUMP

Part No.	Description
<b>MCW365HR</b>	3" Water Pump, 196cc, Case IH
<b>MCCEW365HR</b>	3" Water Pump, 196cc, Case Construction

- Honda OHV GX200 engine, 196cc, with oil alert
- Centrifugal aluminum pump
- Cast-iron impeller
- 264 GPM max discharge flow
- 85' max total lift, 26' max suction lift
- 3" MNPT inlet/outlet



Part No. **MCCEW365HR**

Part No. **MCW365HR**



## 3" WATER PUMP

Part No.	Description
MCW37R	3" Water Pump, 210cc, Case IH

- PowerEase OHV 210cc engine with low oil shutdown
- Centrifugal aluminum pump
- Cast-iron impeller
- 264 GPM max discharge flow
- 85' max total lift, 26' max suction lift
- 3" MNPT inlet/outlet



Part No. **MCW37R**

## 4" WATER PUMP

Part No.	Description
MCW413HR	4" Water Pump, 389cc, Case IH

- Honda OHV GX390 engine, 389cc
- Centrifugal aluminum pump
- Cast-iron impeller
- 422 GPM maximum discharge flow
- 98' maximum total lift, 26' maximum suction lift
- 4" MNPT inlet/outlet



Part No. **MCW413HR**

## TRASH PUMPS

### 2" TRASH PUMP

Part No.	Description
MCW265HT	2" Trash Pump, Case IH

- Honda OHV GX200, 196cc engine
- Centrifugal aluminum pump
- Cast-iron impeller
- 125 GPM max discharge flow
- 82' max total lift, 26' max suction lift
- Solids up to 5/8"
- 2" MNPT inlet/outlet



Part No. MCW265HT

### 2" TRASH PUMP

Part No.	Description
MCW27RT	2" Trash Pump, Case IH

- PowerEase OHV engine, 210cc
- Centrifugal aluminum pump
- Cast-iron impeller
- 125 GPM max discharge flow
- 82' max total lift, 26' max suction lift
- Solids up to 5/8"
- 2" MNPT inlet/outlet



Part No. MCW27RT

### 3" TRASH PUMP

Part No.	Description
MCW365HT	3" Trash Pump, 196cc, Case IH

- Honda OHV GX200 engine, 196cc
- Centrifugal aluminum pump
- Cast-iron impeller
- 264 GPM maximum discharge flow
- 85' maximum total lift, 26' maximum suction lift
- 3" MNPT inlet/outlet
- Solids up to 1"



Part No. MCW365HT



## 3" TRASH PUMP

Part No.	Description
MCW37RT	3" Trash Pump, 210cc, Case IH

- PowerEase OHV engine, 210cc
- Centrifugal aluminum pump
- Cast-iron impeller
- 264 GPM maximum discharge flow
- 85' maximum total lift, 26' maximum suction lift
- 3" MNPT inlet/outlet
- Solids up to 1"



Part No. MCW37RT

## 3" TRASH PUMP

Part No.	Description
MCW313HT	3" Trash Pump, 389cc, Case IH
MCCEW313HT	3" Trash Pump, 389cc, Case Construction

- Honda OHV GX390 engine, 389cc, with oil alert
- Centrifugal aluminum pump
- Cast-iron impeller
- 286 GPM max discharge flow
- 98' max total lift, 26' max suction lift
- Solids up to 1"
- 3" MNPT inlet/outlet



Part No. MCW313HT



Part No. MCCEW313HT

## 4" TRASH PUMP

Part No.	Description
MCW413HT	4" Trash Pump, 389cc, Case IH
MCCEW413HT	4" Trash Pump, 389cc, Case Construction

- Honda OHV GX390 engine, 389cc, with oil alert
- Centrifugal aluminum pump
- Cast-iron impeller
- 506 GPM max discharge flow
- 95' max total lift, 26' max suction lift
- Solids up to 1"
- 4" MNPT inlet/outlet



Part No. MCW413HT



Part No. MCCEW413HT

## CHEMICAL TRANSFER PUMPS, INVERTERS

### 2" CHEMICAL TRANSFER PUMP

Part No.	Description
MCW27RN	2" Chemical Transfer Pump, Case IH

- PowerEase OHV 210cc engine with low oil shutdown
- Nylon impeller and pump housing
- Resistant to most fertilizers and chemicals
- 154 GPM max discharge flow
- 115' max total lift, 26' max suction lift
- 2" MNPT inlet/outlet



Part No. MCW27RN

### 2" CHEMICAL TRANSFER PUMP

Part No.	Description
MCW265HN	2" Chemical Transfer Pump, Case IH

- Honda OHV GX200 engine with oil alert
- Nylon impeller and pump housing
- Resistant to most fertilizers and chemicals
- 154 GPM max discharge flow
- 115' maximum total lift, 26' maximum suction lift
- 2" MNPT inlet/outlet



Part No. MCW265HN

### 2" CHEMICAL TRANSFER PUMP

Part No.	Description
MCW25HN	2" Chemical Transfer Pump, Case IH

- Honda OHC 160 engine, 5 hp
- Nylon impeller and pump housing
- 154 GPM max discharge flow
- 115' max total lift, 26' max suction lift
- 2" MNPT inlet/outlet



Part No. MCW25HN

### 3" CHEMICAL TRANSFER PUMP

Part No.	Description
MCW365HN	3" Chemical Transfer Pump, Case IH

- Honda OHV GX200 engine, 196cc
- Nylon impeller and pump housing
- Resistant to most fertilizers and chemicals
- 265 GPM maximum discharge flow
- 92' maximum total lift, 26' maximum suction lift
- 3" MNPT inlet/outlet



Part No. MCW365HN



## 3" CHEMICAL TRANSFER PUMP

Part No.	Description
MCW37RN	3" Chemical Transfer Pump, Case IH

- PowerEase OHV 210cc R210 engine with low oil shutdown
- Nylon impeller and pump housing
- Resistant to most fertilizers and chemicals
- 265 GPM maximum discharge flow
- 92' maximum total lift, 26' maximum suction lift
- 3" MNPT inlet/outlet



Part No. **MCW37RN**

## 2,500-WATT, GAS INVERTER GENERATOR

Part No.	Description
MCI2500	2,500-Watt Inverter, Case IH

- PowerEase OHV 125cc, pull-start engine
- 2,200 running watt output
- 2 × 120V receptacles
- 12V DC
- Ultra quiet-running, automatic throttle saves fuel
- Decibel rating: 60db at 20 feet at 50% load
- CSA-approved and EPA-approved



Part No. **MCI2500**

## 3,500-WATT, GAS INVERTER GENERATOR

Part No.	Description
MCI3500	3,500-Watt Inverter, Case IH

- PowerEase OHV 149cc, pull-start engine
- 3,000 running watt output
- 2 × 120V receptacle, 1 × 120V twistlock
- Ultra quiet-running, automatic throttle saves fuel
- Decibel rating: 60db at 20 feet at 50% load
- CSA-approved and EPA-approved



Part No. **MCI3500**

## GAS GENERATORS

### 3,100-WATT, GAS GENERATOR

Part No.	Description
<b>MC3100PR</b>	3,100-Watt Generator, Case IH
<b>MCCE3100PR</b>	3,100-Watt Generator, Case Construction

- PowerEase OHV 210cc, pull-start engine
- 2,800 running watt output
- 4 × 120V GFI receptacles, 1 × 120V twistlock
- Low oil shutdown, automatic voltage regulator
- CSA-approved and EPA-approved



Part No. **MCCE3100PR**



Part No. **MC3100PR**

### 6,500-WATT, GAS GENERATOR

Part No.	Description
<b>MC6500ER</b>	6,500-Watt Generator, Case IH
<b>MCCE6500ER</b>	6,500-Watt Generator, Case Construction

- PowerEase OHV 389cc, electric-start engine
- 5,500 running watt output
- 4 × 120V GFI receptacles, 1 × 120V twistlock, 1 × 240V twistlock
- Auto-idle feature, low oil shutdown, automatic voltage regulator
- CSA-approved and EPA-approved



Part No. **MCCE6500ER**



Part No. **MC6500ER**

### 9,000-WATT, GAS GENERATOR

Part No.	Description
<b>MC9000ER</b>	9,000-Watt Generator, Case IH
<b>MCCE9000ER</b>	9,000-Watt Generator, Case Construction

- PowerEase 420cc, electric-start engine
- 7,100 running watt output
- 6 × 120V GFI receptacles, 1 × 120V twistlock, 1 × 240V twistlock
- Auto-idle feature, low oil shutdown, automatic voltage regulator
- CSA-approved and EPA-approved



Part No. **MCCE9000ER**



Part No. **MC9000ER**



## AIR COMPRESSORS

### 4-GALLON AIR COMPRESSOR, ELECTRIC

Part No.	Description
MCAC205	4-Gallon Air Compressor, Case IH

- Horizontal
- 2 hp, 110V
- 125 PSI
- 4.2 CFM @ 40 PSI
- 3.4 CFM @ 90 PSI
- One-year warranty



Part No. MCAC205

### 11-GALLON AIR COMPRESSOR, ELECTRIC

Part No.	Description
MCAC3012	11-Gallon Air Compressor, Case IH

- Horizontal
- 3 hp, 110V
- 125 PSI
- 5.2 CFM @ 40 PSI
- 3.8 CFM @ 90 PSI
- One-year warranty



Part No. MCAC3012

### 25-GALLON AIR COMPRESSOR, ELECTRIC

Part No.	Description
MCAC3025	25-Gallon Air Compressor, Case IH

- Vertical
- 3 hp, 110V
- 125 PSI
- 5.2 CFM @ 40 PSI
- 3.8 CFM @ 90 PSI
- One-year warranty



Part No. MCAC3025

## AIR COMPRESSORS & AIR COMBS

### 80-GALLON AIR COMPRESSOR, ELECTRIC

Part No.	Description
<b>MCAC5080MH</b>	80-Gallon Air Compressor, Case IH
<b>MCCEAC5080MH</b>	80-Gallon Air Compressor, Case Construction

- 5 hp, 240V
- 175 PSI
- Vertical
- 15.8 CFM
- 1 PH
- One-year warranty



Part No. **MCAC5080MH**

Part No. **MCCEAC5080MH**

### 10-GALLON AIR COMPRESSOR, WHEELBARROW

Part No.	Description
<b>MCAC558HB</b>	10-Gallon Air Compressor, Wheelbarrow, Case IH
<b>MCCEAC558HB</b>	10-Gallon Air Compressor, Wheelbarrow, Case Construction

- Honda OHV GX200
- 125 PSI
- Belt drive
- 7.4 CFM @ 40 PSI
- 5.8 CFM @ 90 PSI
- Single pneumatic wheel
- Three-year warranty on Honda engine
- One-year warranty on compressor



Part No. **MCAC558HB**

Part No. **MCCEAC558HB**

### 10-GALLON AIR COMPRESSOR, WHEELBARROW

Part No.	Description
<b>MCAC7011RB</b>	10-Gallon Air Compressor, Wheelbarrow, Case IH

- PowerEase OHV 210cc engine
- 125 PSI
- Belt drive
- 7.4 CFM @ 40 PSI
- 5.8 CFM @ 90 PSI
- Single pneumatic wheel
- Two-year warranty on PowerEase engine
- One-year warranty on compressor



Part No. **MCAC7011RB**



## 30-GALLON AIR COMPRESSOR, TRUCK MOUNT STYLE

Part No.	Description
<b>MCAC9030</b>	30-Gallon Air Compressor, Truck Mount, Case IH
<b>MCCEAC9030</b>	30-Gallon Air Compressor, Truck Mount, Case Construction

- Honda OHV GX270 electric start
- 155 PSI
- 18 CFM @ 90 PSI
- Three-year warranty on Honda engine
- One-year warranty on compressor



Part No. **MCAC9030**

Part No. **MCCEAC9030**

## 50-GALLON AIR COMPRESSOR, TRUCK MOUNT STYLE

Part No.	Description
<b>MCAC1150</b>	50-Gallon Air Compressor, Truck Mount, Case IH
<b>MCCEAC1150</b>	50-Gallon Air Compressor, Truck Mount, Case Construction

- Honda OHV GX340
- 175 PSI
- 18 CFM @ 100 PSI
- Three-year warranty on Honda engine
- One-year warranty on compressor



Part No. **MCAC1150**

Part No. **MCCEAC1150**

## AIR COMPRESSOR AIR COMB

Part No.	Description
<b>MCNH12AC</b>	Air Compressor Air Comb, 12"
<b>MCNH24AC</b>	Air Compressor Air Comb, 24"
<b>MCNH36AC</b>	Air Compressor Air Comb, 36"
<b>MCNH48AC</b>	Air Compressor Air Comb, 48"



Part No. **MCNH24AC**

## HEATERS

### FORCED AIR HEATER, 75,000 BTU

Part No.	Description
<b>MC75DGD†</b>	Forced Air Heater, 75,000 BTUs, Case IH
<b>MCC75DGD†</b>	Forced Air Heater, 75,000 BTUs, Case Construction

† Model does not come with tires

- 75,000 BTU/h
- Heats up to 1,750 sq. ft.
- 5-gallon fuel tank allows approximately 9 hours of use



Part No. **MCC75DGD**

Part No. **MC75DGD**

### FORCED AIR HEATER, 125,000 BTU, DUAL HEAT TECHNOLOGY

Part No.	Description
<b>MC125DGD</b>	Forced Air Heater, 125,000 BTUs, Case IH
<b>MCC125DGD</b>	Forced Air Heater, 125,000 BTUs, Case Construction

- 100,000 BTU/h or 125,000 BTU/h
- Heats up to 3,000 sq. ft.
- 10-gallon fuel tank allows approximately 11 to 13 hours of use
- Model comes with wheels for portability



Part No. **MCC125DGD**

Part No. **MC125DGD**

### FORCED AIR HEATER, 170,000 BTU, DUAL HEAT TECHNOLOGY

Part No.	Description
<b>MC170DGD</b>	Forced Air Heater, 170,000 BTUs, Case IH
<b>MCC170DGD</b>	Forced Air Heater, 170,000 BTUs, Case Construction

- 135,000 BTU/h or 170,000 BTU/h
- Heats up to 4,000 sq. ft.
- 3-gallon fuel tank allows approximately 10 to 13 hours of use
- Model comes with wheels for portability



Part No. **MCC170DGD**

Part No. **MC170DGD**



## FORCED AIR HEATER, 210,000 BTU, DUAL HEAT TECHNOLOGY

Part No.	Description
<b>MC210DGD†</b>	Forced Air Heater, 210,000 BTUs, Case IH
<b>MCC210DGD†</b>	Forced Air Heater, 210,000 BTUs, Case Construction

† Features enhanced control panel with a large display area and precise temperature control with four diagnostic light indicators for optimum performance.

- 170,000 BTU/h or 210,000 BTU/h
- Heats up to 5,000 sq. ft.
- 13-gallon fuel tank allows approximately 8 to 10 hours of use
- Model comes with wheels for portability



Part No. **MCC210DGD**

Part No. **MC210DGD**

## FORCED AIR HEATER, 400,000 BTU, DUAL HEAT TECHNOLOGY

Part No.	Description
<b>MC400DGD</b>	Forced Air Heater, 400,000 BTUs, Case IH
<b>MCC400DGD</b>	Forced Air Heater, 400,000 BTUs, Case Construction

- 400,000 BTU/h
- Heats up to 8,500 sq. ft.
- 29-gallon fuel tank allows approximately 10 hours of use
- Model features 13" pneumatic tires



Part No. **MCC400DGD**



Part No. **MC400DGD**



PM-16321 Issued 1/13

© 2013 CNH America LLC. All rights reserved. Printed in USA. CNH, Case and Case IH are registered trademarks of CNH America LLC. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH America LLC, are the property of those respective companies. [www.casece.com](http://www.casece.com) • [www.caseih.com](http://www.caseih.com)

For the latest product information, including new Shop Products, visit our website: [www.cnhshopproducts.com/caseihdealer](http://www.cnhshopproducts.com/caseihdealer)

**SOLD AND SERVICED BY:**