# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020	Print Date 19.03.2021		
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION				
Product name	: CNHi Hypoid Gear Oil Extreme P	ressure 85W-140		
Product code	: 00114880			
Manufacturer or supplier's Supplier	<ul> <li>Shell Markets (Middle East) Limit 8th floor, Dubai Convention Towe Za'abeel 307 Dubai Utd.Arab Emir.</li> </ul>			
Telephone Telefax	: (+971) 800035704494 : (+971) 43321591			
Emergency telephone number Email Contact for Safety Data Sheet	: +60383168800 (OUTSIDE UAE); UAE) : lubricantSDS@shell.com	; 800035704494 (WITHIN		
Recommended use of the chemical and restrictions on use				

Recommended use	:	Transmission oil.
	•	

### SECTION 2. HAZARDS IDENTIFICATION

#### **GHS Classification**

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.</li> </ul>
Precautionary statements	: <b>Prevention:</b> No precautionary phrases.
	<b>Response:</b> No precautionary phrases.
	<b>Storage:</b> No precautionary phrases.
	Disposal:
(15	800010039349

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020	Print Date 19.03.2021
	No precautionary phrases.	

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mix
---------------------------

Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO-
		extract, according to IP346.

#### Hazardous components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Dialkylpolysulphide	68937-96-2	Skin Irrit.3; H316 Skin Sens.1B; H317 Aquatic Chronic3; H412	1 - 5
Amine phosphate	91745-46-9	Flam. Liq.4; H227 Acute Tox.4; H302 Skin Sens.1; H317 Eye Dam.1; H318 Aquatic Chronic2; H411	1 - 3

For explanation of abbreviations see section 16.

### SECTION 4. FIRST-AID MEASURES

If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
In case of eye contact	<ul> <li>Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>If persistent irritation occurs, obtain medical attention.</li> </ul>
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020	Print Date 19.03.2021
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and sym of black pustules and spots on th Ingestion may result in nausea, v	e skin of exposed areas.
Protection of first-aiders	: When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.	
Notes to physician	: Treat symptomatically.	

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media		Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting		Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods		Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters		Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Hazchem Code	:	NONE

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Avoid contact with skin and eyes.
Environmental precautions	: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
	Local authorities should be advised if significant spillages cannot be contained.

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020	Print Date 19.03.2021
Methods and materials for containment and cleaning up	<ul> <li>Slippery when spilt. Avoid accide Prevent from spreading by makin or other containment material. Reclaim liquid directly or in an at Soak up residue with an absorbe suitable material and dispose of</li> </ul>	ng a barrier with sand, earth psorbent. ent such as clay, sand or other
Additional advice	: For guidance on selection of per- see Section 8 of this Safety Data For guidance on disposal of spille this Safety Data Sheet.	Sheet.

### SECTION 7. HANDLING AND STORAGE

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
		Store at ambient temperature.
Packaging material	:	Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	:	Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.

### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Da	ate 07.09.2020	Print Da	te 19.03.2021
Components with workplace	control param	eters		
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	AU OEL
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	Australia. Workplace Exposure Standards for Airborne Contaminant s.
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

#### **Biological occupational exposure limits**

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	<ul> <li>The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.</li> </ul>
	Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
	General Information: Define procedures for safe handling and maintenance of controls.

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

rsion 1.0	Revision Date 07.09.2020	Print Date 19.03.202
	Educate and train workers in the measures relevant to normal acti product. Ensure appropriate selection, tes equipment used to control expos equipment, local exhaust ventilat Drain down system prior to equip maintenance. Retain drain downs in sealed sto subsequent recycle. Always observe good personal h washing hands after handling the drinking, and/or smoking. Routin protective equipment to remove of contaminated clothing and footwo Practice good housekeeping.	ivities associated with this sting and maintenance of sure, e.g. personal protective tion. oment break-in or orage pending disposal or sygiene measures, such as a material and before eating, hely wash work clothing and contaminants. Discard
Personal protective equi	pment	
Protective measures		
Personal protective equipn PPE suppliers.	nent (PPE) should meet recommended n	national standards. Check wit
Respiratory protection	<ul> <li>No respiratory protection is ordin conditions of use. In accordance with good industria precautions should be taken to a If engineering controls do not ma concentrations to a level which is health, select respiratory protection specific conditions of use and me Check with respiratory protective Where air-filtering respirators are appropriate combination of mask Select a filter suitable for the com and vapours and particles [Type (149°F)].</li> </ul>	al hygiene practices, avoid breathing of material. aintain airborne s adequate to protect worker ion equipment suitable for the eeting relevant legislation. e equipment suppliers. e suitable, select an c and filter. nbination of organic gases
Hand protection Remarks	: Where hand contact with the pro gloves approved to relevant stan US: F739) made from the followin suitable chemical protection. PV0 gloves Suitability and durability of usage, e.g. frequency and duration resistance of glove material, dext from glove suppliers. Contamination replaced. Personal hygiene is a li- care. Gloves must only be worn of	dards (e.g. Europe: EN374, ng materials may provide C, neoprene or nitrile rubber of a glove is dependent on on of contact, chemical terity. Always seek advice ted gloves should be key element of effective hand

For continuous contact we recommend gloves with

gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0		Revision Date 07.09.2020 breakthrough time of more than a for > 480 minutes where suitable short-term/splash protection we recognize that suitable gloves of may not be available and in this time maybe acceptable so long a and replacement regimes are fol a good predictor of glove resistan dependent on the exact compos Glove thickness should be typical depending on the glove make ar	e gloves can be identified. For recommend the same but fering this level of protection case a lower breakthrough as appropriate maintenance lowed. Glove thickness is not note to a chemical as it is ition of the glove material. ally greater than 0.35 mm
Eye protection	:	If material is handled such that it protective eyewear is recommen	
Skin and body protection	:	Skin protection is not ordinarily rework clothes. It is good practice to wear chemi	
Thermal hazards	:	Not applicable	
Environmental exposure con	ntro	bls	
General advice	:	Take appropriate measures to fur relevant environmental protection contamination of the environment Section 6. If necessary, prevent being discharged to waste water treated in a municipal or industria before discharge to surface water Local guidelines on emission lim must be observed for the dischar vapour.	n legislation. Avoid at by following advice given in undissolved material from . Waste water should be al waste water treatment plant r. its for volatile substances
SECTION 9. PHYSICAL AND CHE	MI	CAL PROPERTIES	
Appearance	:	Clear, bright liquid.	
Colour	:	clear	
Odour Threshold	:	Data not available	
рН	:	Not applicable	
pour point	:	<= -18 °C / <= -0.40 °FMethod: A	ASTM D5950
Melting / freezing point		Data not available	
Initial boiling point and boiling range	:	> 280 °C / 536 °Festimated value	e(s)
Flash point	:	>= 200 °C / >= 392 °F Method: ASTM D92 (COC)	
Evaporation rate	:	Data not available	

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020	Print Date 19.03.2021
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.878 (15 °C / 59 °F)	
Density	: 878 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D4052	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6(based on informatio	n on similar products)
Auto-ignition temperature	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 25.5 mm2/s (100 °C / 212 °F) Method: ASTM D445	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to b	e a static accumulator.

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.	
Chemical stability	: Stable.	
Possibility of hazardous	: Reacts with strong oxidising agents.	

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020	Print Date 19.03.2021
reactions Conditions to avoid	: Extremes of temperature and dire	ct sunlight.
Incompatible materials	: Strong oxidising agents.	
Hazardous decomposition products	: No decomposition if stored and ap	oplied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Basis for assessment	: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Exposure routes	: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity	
Product:	
Acute oral toxicity	<ul> <li>LD50 rat: &gt; 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.</li> </ul>
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	<ul> <li>LD50 Rabbit: &gt; 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.</li> </ul>

#### Skin corrosion/irritation

#### Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### **Components:**

#### Amine phosphate:

Remarks: Based on available data, the classification criteria are not met.

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Revision Date 07.09.2020

Print Date 19.03.2021

#### Respiratory or skin sensitisation

#### Product:

Version 1.0

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### Components:

#### Dialkylpolysulphide:

Remarks: Experimental data has shown that the concentration of potentially sensitising components present in this product does not induce skin sensitisation. May cause an allergic skin reaction in sensitive individuals.

#### Amine phosphate:

Remarks: Experimental data has shown that the concentration of potentially sensitising components present in this product does not induce skin sensitisation. May cause an allergic skin reaction in sensitive individuals.

#### **Chronic toxicity**

#### Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

#### **Reproductive toxicity**

#### Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

#### STOT - single exposure

# **CNHi Hypoid Gear Oil Extreme** Pressure 85W-140

Version 1.0 Revision Date 07.09.2020 Print Date 19.03.2021

Product:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Basis for assessment	<ul> <li>Ecotoxicological data have not been determined specifically for this product.</li> <li>Information given is based on a knowledge of the components and the ecotoxicology of similar products.</li> <li>Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).</li> </ul>
Ecotoxicity	
Product:	
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic	:

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020 Print Date 19.03.2021
plants (Acute toxicity)	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic:
	Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic toxicity)	: Remarks: Data not available
Toxicity to crustacean (Chronic toxicity)	: Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available
Persistence and degradability	
Product:	
Biodegradability	: Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment.
Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n- octanol/water	<ul> <li>log Pow: &gt; 6Remarks: (based on information on similar products)</li> </ul>
Mobility in soil	
Product:	
Mobility	<ul> <li>Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile.</li> <li>Remarks: Floats on water.</li> </ul>
Other adverse effects	
no data available <u>Product:</u>	
Additional ecological information	<ul> <li>Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential., Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal conditions of use.</li> <li>Poorly soluble mixture., Causes physical fouling of aquatic organisms.</li> <li>Mineral oil does not cause chronic toxicity to aquatic organisms at concentrations less than 1 mg/l.</li> </ul>

# SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0	Revision Date 07.09.2020	Print Date 19.03.2021
Waste from residues	<ul> <li>Recover or recycle if possible.</li> <li>It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.</li> <li>Do not dispose into the environment, in drains or in water courses</li> </ul>	
	Waste product should not be allowed to ground water, or be disposed of into th Waste, spills or used product is dange	e environment.
Contaminated packaging	: Dispose in accordance with prevailing to a recognized collector or contractor. the collector or contractor should be es Disposal should be in accordance with national, and local laws and regulations	The competence of stablished beforehand. applicable regional,
Local legislation Remarks	: Disposal should be in accordance with national, and local laws and regulation:	

#### **SECTION 14. TRANSPORT INFORMATION**

#### **National Regulations**

ADG

Not regulated as a dangerous good

#### **International Regulations**

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0

Revision Date 07.09.2020

No poison schedule number allocated

Print Date 19.03.2021

Standard for the Uniform Scheduling of Medicines and Poisons

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Product classified as per Work Health Safety Regulations – Implementation of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 2012 and SDS prepared as per national model code of practice for preparation of safety data sheet for Hazardous chemicals 2011 based on Globally Harmonized Classification version 3.

National Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011).

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG code). Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### Other international regulations

#### The components of this product are reported in the following inventories:

EINECS	:	Notified with Restrictions.
TSCA	:	All components listed.
AIIC	:	All components listed.

2

### **SECTION 16. OTHER INFORMATION**

#### **Full text of H-Statements**

H227	Combustible liquid.	
H302	Harmful if swallowed.	
H316	Causes mild skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Full text of other abbreviations		

Acute Tox.	Acute toxicity
Aquatic Chronic	Long-term (chronic) aquatic hazard
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquids
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitisation

#### Abbreviations and Acronyms

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals

# CNHi Hypoid Gear Oil Extreme Pressure 85W-140

Version 1.0 R	Revision Date 07.09.2020	Print Date 19.03.2021
in Bulk; IC50 - Half maximal inf Organization; IECSC - Inventory of		
Maritime Dangerous Goods; IMO -		
and Health Law (Japan); ISO - In		
Existing Chemicals Inventory; LC50		
Lethal Dose to 50% of a test p		
Convention for the Prevention of P Chilean Norm; NO(A)EC - No Obser		
(Adverse) Effect Level; NOELR - N		
Norm; NTP - National Toxicology Pr		
- Organization for Economic Co-ope	eration and Development; OPPT	S - Office of Chemical Safety
and Pollution Prevention; PBT - F		
Philippines Inventory of Chemicals a		
Activity Relationship; REACH - Regute the Council concerning the Registra		
SADT - Self-Accelerating Decompos		
Chemical Substance Inventory; TE	•	
Substances Control Act (United S		
Recommendations on the Transpo	<b>U</b>	
Bioaccumulative; WHMIS - Workplac	ce Hazardous Materials Informat	ion System

Date of preparation or review : 07.09.2020

### Further information

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	A vertical bar ( ) in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN