## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1	Revision Date 16.02.2021	Print Date 19.03.2021	
SECTION 1. PRODUCT AND COMPANY IDENTIFICATION			
Product name	: Case Hy-tran Premium Hydraulic	Transmission Oil	
Product code	: 00115276		
Manufacturer or supplier's Supplier	: Shell Markets (Middle East) Limit 8th floor, Dubai Convention Towe Za'abeel 307 Dubai Utd.Arab Emir.		
Telephone Telefax	: (+971) 800035704494 : (+971) 43321591		
Emergency telephone number Email Contact for Safety Data Sheet	<ul> <li>+60383168800 (OUTSIDE UAE) UAE)</li> <li>lubricantSDS@shell.com</li> </ul>	; 800035704494 (WITHIN	
Recommended use of the chemical and restrictions on use			

Recommended use	•	Transmission oil.
	•	110110111001011011

#### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	<ul> <li>PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.</li> </ul>
Precautionary statements	: <b>Prevention:</b> No precautionary phrases.
	<b>Response:</b> No precautionary phrases.
	<b>Storage:</b> No precautionary phrases.
	Disposal:
<sup>′</sup> 16	800010039515

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1

Revision Date 16.02.2021 No precautionary phrases. Print Date 19.03.2021

#### Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L).
	:	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8.

Tiuzuruous componen			
Chemical name	CAS-No.	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90
Borated ester **	Not Assigned	Skin Sens.1B; H317	0.1 - 0.99
Dialkylamine alkylene glycol	Not Assigned	Skin Sens.1B; H317 Aquatic Chronic3; H412	0.1 - 0.99
Alkyl borate	Not Assigned	Skin Sens.1B; H317	0.1 - 0.99
Calcium alkaryl sulphonate**	Not Assigned	Skin Sens.1B; H317	0.1 - 0.99

\*\* polymer exempt.

Hazardous components

For explanation of abbreviations see section 16.

#### SECTION 4. FIRST-AID MEASURES

If inhaled	No treatment necessary under normal conditions If symptoms persist, obtain medical advice.	of use.
In case of skin contact	<ul> <li>Remove contaminated clothing. Flush exposed a water and follow by washing with soap if available If persistent irritation occurs, obtain medical atter</li> </ul>	Э.

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1 In case of eye contact	Revision Date 16.02.2021 Flush eye with copious quantities of Remove contact lenses, if present rinsing. If persistent irritation occurs, obtain	and easy to do. Continue
If swallowed	: In general no treatment is necessa are swallowed, however, get medic	
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and sympt of black pustules and spots on the Ingestion may result in nausea, voi	skin of exposed areas.
Protection of first-aiders	: When administering first aid, ensur appropriate personal protective equincident, injury and surroundings.	, ,
Notes to physician	: Treat symptomatically.	

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Hazchem Code	:	NONE

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Avoid contact with skin and eyes.	
protective equipment and		
emergency procedures		

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1 Environmental precautions	Revision Date 16.02.2021Print Date 19.03.20: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.	
	Local authorities should be advised cannot be contained.	d if significant spillages
Methods and materials for containment and cleaning up	: Slippery when spilt. Avoid acciden Prevent from spreading by making or other containment material. Reclaim liquid directly or in an absor Soak up residue with an absorbent suitable material and dispose of pro-	a barrier with sand, earth orbent. such as clay, sand or other
Additional advice	: For guidance on selection of perso see Section 8 of this Safety Data S For guidance on disposal of spilled this Safety Data Sheet.	Sheet.

## SECTION 7. HANDLING AND STORAGE

General Precautions :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact :	Strong oxidising agents.
Product Transfer :	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage	
Other data :	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1	Revision Date 16.02.2021	Print Date 19.03.2021
Packaging material	: Suitable material: For containers or steel or high density polyethylene. Unsuitable material: PVC.	container linings, use mild
Container Advice	: Polyethylene containers should not temperatures because of possible ri	

#### SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	AU OEL
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	Australia. Workplace Exposure Standards for Airborne Contaminant s.
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

#### Components with workplace control parameters

#### **Biological occupational exposure limits**

No biological limit allocated.

#### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1	Revision Date 16.02.2021	Print Date 19.03.2021
Engineering measures :	The level of protection and types of co vary depending upon potential exposu controls based on a risk assessment of Appropriate measures include: Adequate ventilation to control airborn	re conditions. Select of local circumstances.
	Where material is heated, sprayed or mist formed, there greater potential for airborne concentrations to be gener General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with the product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal prote equipment, local exhaust ventilation.	
	Drain down system prior to equipment maintenance. Retain drain downs in sealed storage	
	subsequent recycle. Always observe good personal hygien	e measures, such as
	washing hands after handling the mate drinking, and/or smoking. Routinely w protective equipment to remove conta contaminated clothing and footwear the Practice good housekeeping.	ash work clothing and minants. Discard
Personal protective equipment		

#### **Protective measures**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection		No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].
Hand protection Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374,

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1		Revision Date 16.02.2021	Print Date 19.03.2021
		US: F739) made from the followir suitable chemical protection. PVC gloves Suitability and durability of usage, e.g. frequency and duratic resistance of glove material, dext from glove suppliers. Contaminat replaced. Personal hygiene is a k care. Gloves must only be worn of gloves, hands should be washed Application of a non-perfumed mo	C, neoprene or nitrile rubber f a glove is dependent on on of contact, chemical erity. Always seek advice ed gloves should be key element of effective hand on clean hands. After using and dried thoroughly.
		For continuous contact we recombreakthrough time of more than 2 for > 480 minutes where suitable short-term/splash protection we may recognize that suitable gloves off- may not be available and in this of time maybe acceptable so long a and replacement regimes are foll- a good predictor of glove resistant dependent on the exact composit Glove thickness should be typical depending on the glove make and	240 minutes with preference gloves can be identified. For ecommend the same but ering this level of protection case a lower breakthrough s appropriate maintenance owed. Glove thickness is not ince to a chemical as it is tion of the glove material. Ily greater than 0.35 mm
Eye protection		If material is handled such that it protective eyewear is recommend	
Skin and body protection		Skin protection is not ordinarily re work clothes. It is good practice to wear chemic	
Thermal hazards	:	Not applicable	
Environmental exposure con	tro	ls	
General advice		Take appropriate measures to ful relevant environmental protection contamination of the environment Section 6. If necessary, prevent being discharged to waste water. treated in a municipal or industria before discharge to surface water Local guidelines on emission limit must be observed for the discharg vapour.	a legislation. Avoid t by following advice given in undissolved material from Waste water should be Il waste water treatment plant r. ts for volatile substances

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: red
Odour	: Data not available

## Case Hy-tran Premium Hydraulic Transmission Oil

sion 1.1 Odour Threshold	:	Revision Date 16.02.2021 Data not available	Print Date 19.03.2
pH		Not applicable	
pour point		-42 °C / -44 °FMethod: ASTM D97	
Melting / freezing point		Data not available	
Initial boiling point and boiling range	:	> 280 °C / 536 °Festimated value(s	)
Flash point	:	230 °C / 446 °F Method: ASTM D92 (COC)	
Evaporation rate	:	Data not available	
Flammability (solid, gas)	:	Data not available	
Upper explosion limit	:	Typical 10 %(V)	
Lower explosion limit	:	Typical 1 %(V)	
Vapour pressure	:	< 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	:	> 1estimated value(s)	
Relative density	:	0.873 (15.0 °C / 59.0 °F)	
Density	:	873 kg/m3Method: ASTM D4052	
Solubility(ies)			
Water solubility	:	negligible	
Solubility in other solvents	:	Data not available	
Partition coefficient: n- octanol/water	:	log Pow: > 6(based on information	on similar products)
Auto-ignition temperature	:	> 320 °C / 608 °F	
Decomposition temperature	:	Data not available	
Viscosity			
Viscosity, dynamic	:	Data not available	
Viscosity, kinematic		9.3 mm2/s (100 °C / 212 °F)	
		Method: ASTM D445	
		61.38 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	
Explosive properties		Not classified	

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1	Revision Date 16.02.2021 Print Date 19.03.2021
Oxidizing properties	: Data not available
Conductivity	: This material is not expected to be a static accumulator.
SECTION 10. STABILITY AND R	EACTIVITY
Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	: Stable.
Possibility of hazardous reactions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: No decomposition if stored and applied as directed.
SECTION 11. TOXICOLOGICAL	INFORMATION
Basis for assessment	: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Exposure routes	: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity	
Product:	
Acute oral toxicity	<ul> <li>LD50 rat: &gt; 5,000 mg/kg</li> <li>Remarks: Low toxicity:</li> <li>Based on available data, the classification criteria are not met.</li> </ul>
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	<ul> <li>LD50 Rabbit: &gt; 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.</li> </ul>
Skin corrosion/irritation	
Product:	

## Case Hy-tran Premium Hydraulic Transmission Oil

 Version 1.1
 Revision Date 16.02.2021
 Print Date 19.03.2021

 Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.
 Print Date 19.03.2021

#### Serious eye damage/eye irritation

#### Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

#### **Components:**

**Borated ester \*\*:** Remarks: May cause an allergic skin reaction in sensitive individuals.

#### **Chronic toxicity**

#### Germ cell mutagenicity

#### Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

#### Carcinogenicity

#### Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

#### **Reproductive toxicity**

#### Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1	Revision Date 16.02.2021	Print Date 19.03.2021
	not met.	

#### STOT - single exposure

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### **STOT - repeated exposure**

#### Product:

Remarks: Based on available data, the classification criteria are not met.

#### Aspiration toxicity

#### Product:

Not an aspiration hazard.

#### **Further information**

#### Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Basis for assessment	<ul> <li>Ecotoxicological data have not been determined specifically for this product.</li> <li>Information given is based on a knowledge of the components and the ecotoxicology of similar products.</li> <li>Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).</li> </ul>
Ecotoxicity	
Product:	
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to crustacean (Acute	:

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1	Revision Date 16.02.2021         Print Date 19.03.2021
toxicity)	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic:
	Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic	:
plants (Acute toxicity)	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic:
	Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic	: Remarks: Data not available
toxicity) Toxicity to crustacean	: Remarks: Data not available
(Chronic toxicity) Toxicity to microorganisms	: Remarks: Data not available
(Acute toxicity)	
Persistence and degradability	
Product:	
Biodegradability	: Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment., Persistent per IMO criteria., International Oil Pollution Compensation (IOPC) Fund definition: "A non-persistent oil is oil, which, at the time of shipment, consists of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 or any subsequent revision thereof."
Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based on information on similar products)
Mobility in soil	
Product:	
Mobility	<ul> <li>Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile.</li> <li>Remarks: Floats on water.</li> </ul>
Other adverse effects	
no data available <u>Product:</u>	
Additional ecological information	: Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential., Product is a mixture of non-volatile components, which will not be released to air in any significant quantities under normal
12 / 16	800010039515

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1	Revision Date 16.02.2021	Print Date 19.03.2021
	conditions of use. Poorly soluble mixture., Causes physical fouling of aquatic organisms. Mineral oil does not cause chronic toxicity to aquatic organisms at concentrations less than 1 mg/l.	
SECTION 13. DISPOSAL CONSID	ERATIONS	
Disposal methods		
Waste from residues	<ul> <li>Recover or recycle if possible. It is the responsibility of the waste gen toxicity and physical properties of the determine the proper waste classificat methods in compliance with applicable Waste product should not be allowed to ground water, or be disposed of into th Do not dispose into the environment, i courses</li> <li>Do not dispose of tank water bottoms drain into the ground. This will result in contamination.</li> <li>Waste arising from a spillage or tank of disposed of in accordance with prevail preferably to a recognised collector or competence of the collector or contract established beforehand.</li> </ul>	material generated to ion and disposal e regulations. to contaminate soil or ne environment. n drains or in water by allowing them to n soil and groundwater cleaning should be ling regulations, contractor. The
	MARPOL - see International Conventi Pollution from Ships (MARPOL 73/78) technical aspects at controlling pollutio	which provides
Contaminated packaging	: Dispose in accordance with prevailing to a recognized collector or contractor the collector or contractor should be e Disposal should be in accordance with national, and local laws and regulation	. The competence of stablished beforehand.
Local legislation Remarks	: Disposal should be in accordance with national, and local laws and regulation	

#### **SECTION 14. TRANSPORT INFORMATION**

#### **National Regulations**

ADG

Not regulated as a dangerous good

#### International Regulations

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1

Revision Date 16.02.2021

Print Date 19.03.2021

**IATA-DGR** Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

#### Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

#### **SECTION 15. REGULATORY INFORMATION**

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and Poisons

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Product classified as per Work Health Safety Regulations – Implementation of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 2012 and SDS prepared as per national model code of practice for preparation of safety data sheet for Hazardous chemicals 2011 based on Globally Harmonized Classification version 3.

National Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011).

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG code). Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

#### Other international regulations

#### The components of this product are reported in the following inventories:

REACH	: Not established.
TSCA	: Notified with Restrictions.
AICS	: Notified with Restrictions.

#### **SECTION 16. OTHER INFORMATION**

#### Full text of H-Statements

H304	May be fatal if swallowed and enters airways.	
H317	May cause an allergic skin reaction.	
H412	Harmful to aquatic life with long lasting effects.	
Full text of other abbreviations		

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1

Revision Date 16.02.2021

Print Date 19.03.2021

Aquatic Chronic Asp. Tox. Skin Sens. Long-term (chronic) aquatic hazard Aspiration hazard Skin sensitisation

#### Abbreviations and Acronyms

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration. Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN -United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date of preparation or review : 16.02.2021

#### **Further information**

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	A vertical bar ( ) in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

## Case Hy-tran Premium Hydraulic Transmission Oil

Version 1.1

Revision Date 16.02.2021

Print Date 19.03.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN