



# 10

FARMLIFT  
GOOD  
REASONS

**CASE IH**  
AGRICULTURE  
FOR THOSE WHO DEMAND MORE

FARMLIFT. A MODEL TO LIFT EVERY LOAD

# 10

GOOD  
REASONS

## SHOVEL, SHIFT AND STACK.

Here's ten reasons to choose a FARMLIFT


1 **Headstock**  
– connect in seconds



4 **Hydraulics**  
that don't hold you back



6 **Transmission**  
that gives you traction



10 **Servicing simplicity**  
low maintenance and long service intervals



2 **The best boom**  
in the business




9 **Built to be solid and safe**  
designed with safety at the core



8 **All the power**  
you need



7 **Operate in comfort**  
with everything to hand




5 **Stable design**  
with a low centre of gravity



## THE FARMLIFT IS STRONG ENOUGH TO HANDLE EVERY TASK ON THE FARM.

3 **Lift Capacity**  
to get the job done






142<sup>DEGREES</sup> ROTATION  
ANGLE

1.

## HEADSTOCK CONNECT IN SECONDS

from the comfort of your cab



## FEATURES

**Excellent crowd and dump angles** of up to 142 degrees ensures that each load is full and discharge is complete, even with high friction materials.

**Connect from the cab.** Hydraulic attachment locking can be carried out from the joystick.

**Carriage alternatives** JCB, Matbro, Manitou or CNH carriages can be ordered to match any pre-existing attachments.



A switch on the front light support bracket allows the operator to release hydraulic pressure when coupling front attachments.



# 2

## THE BEST BOOM IN THE BUSINESS

FARMLIFT offers you a range of machines  
with reach heights from 6 to 9 metres



**Stable and smooth** boom suspension cushions loads as well as aiding stability, ensuring a comfortable, safe ride for the operator.

**Boom float** is available to ensure attachment follows ground contours.





There's a machine to suit every need in the FARMLIFT range. Choose from six models with lift capacities from 3,300 to 4,200kg.

3.

# LIFT CAPACITY

– designed to get the job done

**Safe operating conditions**  
The FARMLIFT features a 'visual safe load indicator' so that you can check your load is within safe limits at a glance. To further enhance safety an automatic cut off system prevents you overloading the machine or putting it in an unstable situation.



Model	Load Capacity (kg)	Lift Height (mm)
633	3300	6000
636	3600	6000
737	3700	7000
742	4200	7000
935	3500	9000

# 4.

## HYDRAULICS that increase your productivity

We know that there's never enough time in the day so we've made sure our telescopic handlers have fast cycle times that handle the heaviest jobs quickly and efficiently.




**Efficient systems**  
Each model has a dedicated hydraulic system designed to its height and weight capacities, ensuring fuel and power is optimised. Equipped with load sensing hydraulics the 636 and 742 models automatically match oil flow to requirement. With 140 l/min you are always guaranteed short cycle times and auxiliary flow.



**All at your fingertips**  
Electro-hydraulic, proportional valves allow the precise control of all key hydraulic functions. The ergonomic joystick allows control of up to three functions at any one time.  
**Optional hydraulic trailer hitch** is available for ultimate versatility.

FARMLIFT 636 CYCLE TIME	
Lift	6.7 sec
Lower	5.2 sec
Extend	5.2 sec
Retract	3.7 sec
Dump	2.8 sec
Rollback	2.9 sec
TOTAL TIME 26.5 sec	



The entire FARMLIFT range has been designed to work in the tightest of spaces. All models share a wheel base of 3000mm with a nimble outside turning radius of just 3.91m. The low centre of gravity provides great stability when moving heavy loads.

# 5.

## STABLE DESIGN exceptionally agile, with optimal traction and a low centre of gravity

**Automatic wheel alignment**  
is available on the FARMLIFT range, offering a quick change between steering modes so that wheels cannot be misaligned.

**Steering modes**  
All FARMLIFTs come with selectable three-way steering:

- 2-wheel,
- 4-wheel
- crab steer



CRAB STEER



4-WHEEL



2-WHEEL



# 6.

## TRANSMISSIONS THAT GIVE YOU TRACTION, PRODUCTIVITY AND EFFICIENCY

The FARMLIFT range has a series of powershift transmission options that can be specified with auto shifting. 40kph is available on certain models depending on the level of specification required.

**Memory shuttle** the power shuttle recalls the last used forward and reverse gears, improving performance and productivity.

**Automatic neutral function** disengages drive when the brake pedal is depressed, this function improves hydraulic performance and reduces fuel consumption.

**Robust design** developed specifically for agricultural use, wet multi-disc clutches ensure smooth gear changes while a declutch button eases operations.



**At your fingertips** - On high spec models all key functions are ergonomically grouped on one joystick, including power shuttle and gear changing commands. The joystick is mounted on to the comfortable seat allowing it to move with the operator.

**The high specification cab** has a premium feel, an optional air suspension seat is available. The steering column can be adjusted to suit the operator's seating position.

**360° LED lighting package** is available for safe working at night or in dark buildings and operations that work around the clock.

**Telematics** is available to enhance your fleet management.

# 360<sup>DEGREES</sup> LED LIGHTING



# 7

## OPERATE IN COMFORT

– with everything to hand

With everything at your hand and great visibility, the large FARMLIFT cab is designed to be a pleasure to spend time in.



### Temperature control

Ventilation is standard, while air conditioning is available as an option on all models.



**All-around visibility** with an expansive glass curved windscreen, the FARMLIFT cab allows for optimal visibility with easy and safe operation.



# 8.

From 133 to 146 horsepower, the powerful stage V **FPT engines** are carefully matched to the requirements of each model. This in-house, dependable engineering features across the Case IH range, designed to get power to where you need it, fast.

**Impressive torque** even at lower engine speeds, with maximum torque levels of up to 591 Nm at 1,500rpm, to keep the machine pushing even in the most demanding conditions.

**500-hour oil change** intervals to keep your worktime up and your downtime to a minimum.

**Reversible fan** options maintain a clean radiator for efficient cooling.

**ALL THE POWER YOU NEED**  
to work in the most demanding conditions



# 9.

## BUILT TO BE SOLID, BUILT TO DELIVER

Everything on the FARMLIFT has been designed with safety at the core



All FARMLIFTs are built with a **Heavy-Duty frame** ensuring stability and rigidity throughout the whole machine.

All models are fitted with **high-dynamic load capability axles** with limited slip differential (LSD) on the front axle; the rear axle can also be specified with limited slip differential.

Inboard **wet disc brakes** offer excellent stopping power and increased durability.

With long service intervals and easy access, the FARMLIFT has been designed to make maintenance hassle-free.



# 10.

## SERVICING SIMPLICITY

Low maintenance and long service intervals

**Automatic lubrication system.** Available for all models, these two systems offer an electronic lube pump. This automation ensures correct lubrication, saves time and keeps hands clean.

**Easy Access.** Engine bay design gives easy access when servicing of the engine, electrics or hydraulics is required. And with long service intervals of 500 hours between oil changes you can work for longer.

**Daily checks can be completed in under 1 minute** getting you straight onto the job in hand.





**DEMAND MORE FROM YOUR HANDLER.  
CHOOSE FARMLIFT.**

**FIND YOUR LOCAL DEALER AT [CASEIH.COM](http://CASEIH.COM)**

**CASE IH**  
AGRICULTURE  
FOR THOSE WHO DEMAND MORE