CNHi Hydraulic Transmission Oil - Premium

/ersion 1.2	Revision Date 16.02.2021	Print Date 19.03.2021
ECTION 1. PRODUCT AND CO	MPANY IDENTIFICATION	
Product name	: CNHi Hydraulic Transmission Oi	I - Premium
Product code	: 00114811	
Manufacturer or supplier's Supplier	details : Shell Markets (Middle East) Limi 8th floor, Dubai Convention Tow Za'abeel 307 Dubai Utd.Arab Emir.	
Telephone Telefax	: (+971) 800035704494 : (+971) 43321591	
Emergency telephone number Email Contact for Safety Data Sheet	 +60383168800 (OUTSIDE UAE) UAE) IubricantSDS@shell.com 	; 800035704494 (WITHIN
Recommended use of the c	hemical and restrictions on use	

Recommended use	:	Transmission oil.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements	
Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	: Prevention: No precautionary phrases.
	Response: No precautionary phrases.
	Storage: No precautionary phrases.
	Disposal:
/ 16	800010039233

Version 1.2Revision Date 16.02.2021Print Date 19.03.2021No precautionary phrases.

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346. Classification based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L).
	:	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8.

Tiazaidous componen			
Chemical name	CAS-No.	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90
Alkyl borate	Not Assigned	Skin Sens.1B; H317	0.1 - 0.9
Borated ester **	Not Assigned	Skin Sens.1B; H317	0.1 - 0.9
Dialkylamine alkylene glycol	Not Assigned	Skin Sens.1B; H317 Aquatic Chronic3; H412	0.1 - 0.9
Calcium alkaryl sulphonate**	Not Assigned	Skin Sens.1B; H317	0.1 - 0.99

** polymer exempt.

Hazardous components

For explanation of abbreviations see section 16.

SECTION 4. FIRST-AID MEASURES

If inhaled	No treatment necessary under normal conditions If symptoms persist, obtain medical advice.	of use.
In case of skin contact	Remove contaminated clothing. Flush exposed a water and follow by washing with soap if availab If persistent irritation occurs, obtain medical attem	le.

CNHi Hydraulic Transmission Oil - Premium

Version 1.2	Revision Date 16.02.2021	Print Date 19.03.2021
In case of eye contact	 Flush eye with copious quantities Remove contact lenses, if preservinging. If persistent irritation occurs, obtained 	nt and easy to do. Continue
If swallowed	: In general no treatment is neces are swallowed, however, get me	, ,
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and sym of black pustules and spots on th Ingestion may result in nausea, w	ne skin of exposed areas.
Protection of first-aiders	: When administering first aid, ens appropriate personal protective e incident, injury and surroundings	equipment according to the
Notes to physician	: Treat symptomatically.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).
Hazchem Code	:	NONE

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Avoid contact with skin and eyes.	
protective equipment and		
emergency procedures		

CNHi Hydraulic Transmission Oil - Premium

Version 1.2 Environmental precautions	Revision Date 16.02.2021Print Date 19.03.202: Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.	
	Local authorities should be advised cannot be contained.	if significant spillages
Methods and materials for containment and cleaning up	: Slippery when spilt. Avoid accidents Prevent from spreading by making a or other containment material. Reclaim liquid directly or in an abso Soak up residue with an absorbent suitable material and dispose of pro	a barrier with sand, earth rbent. such as clay, sand or other
Additional advice	: For guidance on selection of person see Section 8 of this Safety Data Sh For guidance on disposal of spilled this Safety Data Sheet.	neet.

SECTION 7. HANDLING AND STORAGE

General Precautions :	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling :	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact :	Strong oxidising agents.
Product Transfer :	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage	
Other data :	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.

Version 1.2	Revision Date 16.02.2021	Print Date 19.03.2021
Packaging material	: Suitable material: For containers or steel or high density polyethylene. Unsuitable material: PVC.	container linings, use mild
Container Advice	: Polyethylene containers should not temperatures because of possible r	

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	AU OEL
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	Australia. Workplace Exposure Standards for Airborne Contaminant s.
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Components with workplace control parameters

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

CNHi Hydraulic Transmission Oil - Premium

Version 1.2	Revision Date 16.02.2021	Print Date 19.03.2021
	The level of protection and types of convary depending upon potential exposure controls based on a risk assessment of Appropriate measures include: Adequate ventilation to control airborned where material is heated, sprayed or migreater potential for airborne concentration: Define procedures for safe handling and controls. Educate and train workers in the hazard measures relevant to normal activities product. Ensure appropriate selection, testing a equipment used to control exposure, e equipment, local exhaust ventilation. Drain down system prior to equipment maintenance. Retain drain downs in sealed storage prosubsequent recycle. Always observe good personal hygiened washing hands after handling the mater drinking, and/or smoking. Routinely wasprotective equipment to remove contar contaminated clothing and footwear that Practice good housekeeping.	ntrols necessary will re conditions. Select f local circumstances. e concentrations. nist formed, there is ations to be generated. ad maintenance of ds and control associated with this nd maintenance of .g. personal protective break-in or bending disposal or e measures, such as trial and before eating, ash work clothing and ninants. Discard
Personal protective equipment		

Protective measures

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection	:	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].
Hand protection Remarks	:	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374,

CNHi Hydraulic Transmission Oil - Premium

Version 1.2		Revision Date 16.02.2021	Print Date 19.03.2021
		US: F739) made from the following suitable chemical protection. PVC, gloves Suitability and durability of a usage, e.g. frequency and duration resistance of glove material, dexter from glove suppliers. Contaminated replaced. Personal hygiene is a ke care. Gloves must only be worn on gloves, hands should be washed a Application of a non-perfumed mois	neoprene or nitrile rubber a glove is dependent on of contact, chemical rity. Always seek advice d gloves should be y element of effective hand clean hands. After using nd dried thoroughly.
		For continuous contact we recomm breakthrough time of more than 24 for > 480 minutes where suitable g short-term/splash protection we rec recognize that suitable gloves offer may not be available and in this ca time maybe acceptable so long as and replacement regimes are follow a good predictor of glove resistanc dependent on the exact composition Glove thickness should be typically depending on the glove make and	0 minutes with preference loves can be identified. For commend the same but ring this level of protection se a lower breakthrough appropriate maintenance wed. Glove thickness is not e to a chemical as it is on of the glove material. y greater than 0.35 mm
Eye protection	:	If material is handled such that it co protective eyewear is recommende	
Skin and body protection	:	Skin protection is not ordinarily req work clothes. It is good practice to wear chemica	
Thermal hazards	:	Not applicable	
Environmental exposure co	ontro	ls	
General advice	:	Take appropriate measures to fulfil relevant environmental protection I contamination of the environment b Section 6. If necessary, prevent un being discharged to waste water. V treated in a municipal or industrial before discharge to surface water. Local guidelines on emission limits must be observed for the discharge vapour.	egislation. Avoid by following advice given in ndissolved material from Vaste water should be waste water treatment plant for volatile substances
SECTION 9. PHYSICAL AND CH	EMIC	CAL PROPERTIES	
Appearance	:	Liquid at room temperature.	

CNHi Hydraulic Transmission Oil - Premium

sion 1.2 Odour Threshold	Revision Date 16.02.2021 Print Date 19. Data not available	03.20
pH	: Not applicable	
pour point	: -42 °C / -44 °FMethod: ASTM D97	
Melting / freezing point	Data not available	
Initial boiling point and boiling range	: > 280 °C / 536 °Festimated value(s)	
Flash point	: 230 °C / 446 °F Method: ASTM D92 (COC)	
Evaporation rate	: Data not available	
Flammability (solid, gas)	: Data not available	
Upper explosion limit	: Typical 10 %(V)	
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.873 (15.0 °C / 59.0 °F)	
Density	: 873 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D4052	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6(based on information on similar products)	1
Auto-ignition temperature	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 9.3 mm2/s (100 °C / 212 °F) Method: ASTM D445	
	61.4 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	

CNHi Hydraulic Transmission Oil - Premium

Version 1.2	Revision Date 16.02.2021 Print Date 19.03.2	2021
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to be a static accumulator.	
SECTION 10. STABILITY AND F	EACTIVITY	
Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.	n
Chemical stability	: Stable.	
Possibility of hazardous reactions	: Reacts with strong oxidising agents.	
Conditions to avoid	: Extremes of temperature and direct sunlight.	
Incompatible materials	: Strong oxidising agents.	
Hazardous decomposition products	: No decomposition if stored and applied as directed.	

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	: Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Exposure routes	: Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity	
Product:	
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	 LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Version 1.2

Revision Date 16.02.2021

Print Date 19.03.2021

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Components:

Borated ester **: Remarks: May cause an allergic skin reaction in sensitive individuals.

Chronic toxicity

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

CNHi Hydraulic Transmission Oil - Premium

Version 1.2

Revision Date 16.02.2021Print Date 19.03.2021Remarks: Not a developmental toxicant., Does not impair
fertility., Based on available data, the classification criteria are
not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	: Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity	
Product:	
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l

Practically non toxic:

Based on available data, the classification criteria are not met.

Version 1.2	Revision Date 16.02.2021 Print Date 19.03.2021
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/I Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic	: Remarks: Data not available
toxicity) Toxicity to crustacean	: Remarks: Data not available
(Chronic toxicity) Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available
Persistence and degradability	
Product:	
Biodegradability	: Remarks: Not readily biodegradable., Major constituents are inherently biodegradable, but contains components that may persist in the environment., Persistent per IMO criteria., International Oil Pollution Compensation (IOPC) Fund definition: "A non-persistent oil is oil, which, at the time of shipment, consists of hydrocarbon fractions, (a) at least 50% of which, by volume, distills at a temperature of 340°C (645°F) and (b) at least 95% of which, by volume, distils at a temperature of 370°C (700°F) when tested by the ASTM Method D-86/78 or any subsequent revision thereof."
Bioaccumulative potential	
Product:	
Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based on information on similar products)
Mobility in soil	
Product:	
Mobility	 Remarks: Liquid under most environmental conditions., If it enters soil, it will adsorb to soil particles and will not be mobile. Remarks: Floats on water.
Other adverse effects	
no data available Product:	
Additional ecological information	: Does not have ozone depletion potential, photochemical ozone creation potential or global warming potential., Product
10/10	

CNHi Hydraulic Transmission Oil - Premium

Version 1.2	Revision Date 16.02.2021	Print Date 19.03.2021
	is a mixture of non-volatile compon- released to air in any significant qua conditions of use. Poorly soluble mixture., Causes ph organisms. Mineral oil does not cause chronic to organisms at concentrations less th	antities under normal ysical fouling of aquatic toxicity to aquatic
SECTION 13. DISPOSAL CONSI	DERATIONS	
Disposal methods		
Waste from residues	 Recover or recycle if possible. It is the responsibility of the waste of toxicity and physical properties of the determine the proper waste classifies methods in compliance with applicate Waste product should not be allowed ground water, or be disposed of inter Do not dispose into the environmer courses Do not dispose of tank water bottor drain into the ground. This will resu contamination. Waste arising from a spillage or tank disposed of in accordance with pre- preferably to a recognised collector competence of the collector or conta- established beforehand. 	he material generated to cation and disposal able regulations. ed to contaminate soil or o the environment. ht, in drains or in water ms by allowing them to It in soil and groundwater hk cleaning should be vailing regulations, or contractor. The
	MARPOL - see International Conve Pollution from Ships (MARPOL 73/ technical aspects at controlling poll	78) which provides
Contaminated packaging	: Dispose in accordance with prevail to a recognized collector or contrac the collector or contractor should be Disposal should be in accordance w national, and local laws and regulat	tor. The competence of e established beforehand. with applicable regional,
Local legislation		

Remarks

: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

ADG Not regulated as a dangerous good

Revision Date 16.02.2021

Print Date 19.03.2021

Version 1.2 International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform	:	No poison schedule number allocated
Scheduling of Medicines and		
Poisons		

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Product classified as per Work Health Safety Regulations – Implementation of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 2012 and SDS prepared as per national model code of practice for preparation of safety data sheet for Hazardous chemicals 2011 based on Globally Harmonized Classification version 3.

National Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011).

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG code). Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Other international regulations

The components of this product are reported in the following inventories:

REACH	:	All components listed or polymer exempt.
TSCA	:	Notified with Restrictions.
AICS	:	Notified with Restrictions.

SECTION 16. OTHER INFORMATION

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

CNHi Hydraulic Transmission Oil - Premium

Print Date 19.03.2021

	Full	text	of	other	abbrev	viations
--	------	------	----	-------	--------	----------

Aquatic Chronic	Long-term (chronic) aquatic hazard
Asp. Tox.	Aspiration hazard
Skin Sens.	Skin sensitisation

Abbreviations and Acronyms

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN -United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date of preparation or review : 16.02.2021

Further information

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

Version 1.2

Revision Date 16.02.2021

Print Date 19.03.2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN